

MAPLUSFLUORINE EXPERTS

From the passion for skiing and the mastery of the fluorine chemistry Maplus, a division specialized in ski wax and technical accessories for ski preparation, was born in 1997

Thanks to the synergies with the industrial chemical research of Maflon SPA, a dynamic and innovative company specialized in the production of high-tech fluorinated products, owned by Mazza Holding of Castelli Calepio (Bg), this industrial company, 100% Italian, in just twenty years, braving more long-lived competitors out, has managed to reach a leading position in high-level competitions.

Since its debut in the cross-country World Championship in Ramsau in 1998, with the novelty of a perfluorinated liquid product, up to the successes of the Pyeongchang Olympics in 2017 and Åre 2019, Maplus has become, with its perfluorinated products, the reference in terms of gliding and durability in the ski and snowboard World Cups.

We can declare with satisfaction that today Maplus waxes are used in competition by all the National Teams and by all the ski companies present in the World Cup!

And yet Maplus does not care only of athletes and their results: the experience gained at the highest level has allowed us to develop a complete line of wax ideal to meet the needs of any skier and snowboarder, from the freeride addicted to the beginner who wants an easy to manage equipment, up to the needs of the professional laboratories for the rentals.




NEW ECO-FLUORWAX*

Respect for norms and the health of human beings and environmental have always been, and will continue to be, our priorities. In order to get our results in research and development of fluorinated products, we respect the most advanced rules in term of sustainable development.

We have nevertheless invested the maximum of our energy and our efforts in finding new solutions and new products.

Now we are able to guarantee, in light of the new regulations, the utmost respect for anti-pollution and environmental protection standards together with the high standards skiwaxes to which our customers have been accustomed to for years.











SNOW TEMP:

SNOW TEMP:

SNOW TEMP:

HUMIDITY:

HUMIDITY:

HUMIDITY:

- 22°/ - 8° C

- 16°/ - 2° C

- 9°/ - 2° C

60 / 100%

40 / 80%

30 / 70%



XLS EXTRA LONG LASTING SPEED **XLS 4.0** CODE: MW0894N 50 ml

SNOW TEMP: 0°/-6° C HUMIDITY: 50 / 100%

Liquid accelerator for competition. Use with any type of artificial snow and natural snow from new moist to old transformed, icy and wet with temperatures from 0 ° to -6 °C and relative air humidity over 50%.

XLS EXTRA LONG LASTING SPEED

XLS 6.0 SNOW TEMP: - 6°/ - 12° C CODE: HUMIDITY: 50 / 100% SIZE:

Liquid accelerator for competition. Use with any type of artificial snow and natural snow from powder to transformed compact and icy with temperatures from -6° to -12°C and relative air humidity over 50%.

PERFLUORINATED POWDER WAX

FP4 COLD - 22°/ - 8° C 30 / 70% SNOW TEMP: CODE: MW0840N HUMIDITY: 30 gr APPLICATION: 160 °C ⊆

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Recommended hot application with waxing iron at 160°C.

PERFLUORINATED POWDER WAX

FP4 SUPERMED SNOW TEMP: - 16°/ - 2° C MW0843N HUMIDITY: 40 / 80% SIZE: 30 gr APPLICATION: 160 °C ≤

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Recommended hot application with waxing iron at 160°C.

PERFLUORINATED POWDER WAX

FP4 MED SNOW TEMP: - 9°/ - 2° C 60 / 100% **HUMIDITY**: SIZE : 30 gr APPLICATION: 160 °C ⊆

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Recommended hot application with waxing iron at 160°C.

PERFLUORINATED POWDER WAX

FP4 HOT SNOW TEMP: - 3°/ 0° C HUMIDITY: 60 / 100% SIZE: APPLICATION: 160°C ≤

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Recommended hot application with waxing iron at 160°C.



FP4 PERFLUORINATED LIQUID WAX

with merino wool rollers.

SIZE: Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application

MW0850N

FP4 COLD

CODE:

PERFLUORINATED LIQUID WAX

CODE: SIZE:

FP4 SUPERMED

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.

PERFLUORINATED LIQUID WAX

with merino wool rollers.

FP4 MED CODE: MW0851N SIZE:

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application



PERFLUORINATED LIQUID WAX

PRODUCTS FP4 HOT MW0852N CODE: SIZE 50 ml

- 3°/ 0° C SNOW TEMP: HUMIDITY:

60 / 100%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.

*In compliance with Regulation (EU) 2017-1000 *In compliance with Regulation (EU) 2017-1000





PERFLUORINATED SOLID WAX

FP4 COLD MW0860N

20 gr

SNOW TEMP HUMIDITY:

- 22°/ - 8° C 30 / 70%

- 9°/ - 2° C

60 / 100%

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.

PERFLUORINATED SOLID WAX

PRODUCTS FP4 SUPERMED

SNOW TEMP: - 16°/ - 2° C **HUMIDITY**: 40 / 80%

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.



PERFLUORINATED SOLID WAX

FP4 MED MW0861N SIZE:

SNOW TEMP: 20 gr **HUMIDITY**:

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.



PERFLUORINATED SOLID WAX

FP4 HOT MW0862N

SNOW TEMP: - 3°/ 0° C **HUMIDITY**: 60 / 100%

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.



FLASH FLUORINATED LIQUID POLYMER HIGH SPEED ACCELERATOR

YELLOW FLASH MW0662N

SNOW TEMP -3°/0°C **HUMIDITY**: 60 / 100%

Fluorinated liquid polymer for racing. Use for wet, water-ice and icy snow from -3° to 0°C with completely transformed snow crystal with medium and big grain. It works great from hard coarse snow to wet snow and in all intermediate conditions while step by step the sun melts the snow. The Yellow Flash is also the best in raining conditions but only if it's raining over completely transformed snow as above mentioned. If it's snowing with new big moist and wet flakes together with raining on new moist and polish snow, Yellow Flash does not work. It needs at least one day of snow transformation then it works greatly. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder waxes or on fluorinated paraffins. Recommended cold application with the felt cap-applicator.





HIGH FLUORINATED PARAFFIN

HP3 GREEN POWDER

CODE: SIZE: 50 gr

fluorinated paraffins HP3 VIOLET and HP3 RED in case of abrasive new or conserved

snow or mixed with artificial snow. Use hot application with the waxing iron at 160°C.

PRODUCTS

SNOW TEMP: - 30°/ - 10° C **HUMIDITY**: 50 / 90% APPLICATION: 160 °C ≤

High fluoro powder paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for snow from -30°C to -10°C. Air humidity from 50% to 90%. This paraffin can be used alone as above mentioned or as an hardener for the high





HIGH FLUORINATED PARAFFIN

HP3 BLUE MOLY COLD ADDITIVE

MW0901MN - 50 g CODE: MW0911MN - 250 ar MW0921MN - 1 ka

SNOW TEMP: - 25°/ - 10° C HUMIDITY: 50 / 90% APPLICATION: 150° / 160 °C ⊆

High fluoro solid paraffin with moly for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for old abrasive dry snow with temperature from -25°C to -10°C. Air humidity from 50% to 90%. Excellent during a long period without snow falling and with dirty snow. This paraffin can be also used as a moly hardener for HP3 VIOLET and HP3 RED in case of old, abrasive, windy and dirty snow, both natural and artificial. Use hot application with the waxing iron at 150°/160°C.





HIGH FLUORINATED PARAFFIN

HP3 VIOLET

MW0902N - 50 ar MW0912N - 250 ar CODE: MW0922N - 1 kg

SNOW TEMP: - 12°/ - 6° C **HUMIDITY**: 60 / 100% APPLICATION: 140° / 150 °C 🗁

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -12°C to -6°C. Air humidity from 60% to 100%. In case of new or conserved abrasive snow and artificial snow, mix HP3 VIOLET with HP3 GREEN or LP2 GREEN if the humidity is lower. Use hot application with the waxing iron at 140°/150°C.





HIGH FLUORINATED PARAFFIN

HP3 RED

HP3 RED with HP3 GREEN or LP2 GREEN if the humidity is lower. Use hot application with the waxing iron at 130°/140°C.

MW0903N - 50 gr CODE: MW0913N - 250 ar MW0923N - 1 ka

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -7°C to -3°C. Air humidity from 60% to 100%. In case of new or conserved abrasive snow, artificial snow and springtime icy snow, mix

*In compliance with Regulation (EU) 2017-1000 *In compliance with Regulation (EU) 2017-1000

APPLICATION:

-7°/-3°C 60 / 100% 130° / 140 °C ≤









HIGH FI LIORINATED PARAFFIN

HP3 YELLOW 1

SNOW TEMP: - 4°/ 0° C **HUMIDITY**: 60 / 100% APPLICATION: 110° / 120 °C 🗁

MW0904N - 50 gr MW0914N - 250 gr MW0924N - 1 kg

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for new moist not wet snow with temperature from -4°C to 0°C. Air humidity from 60% to 100%. Is the only choice with polish and sticky snow. Use hot application with the waxing iron at 110°/120°C.





HIGH FLUORINATED PARAFFIN

HP3 YELLOW 2

SNOW TEMP: -5°/-1° C **HUMIDITY**: 60 / 100% APPLICATION: 120° / 130 °C ⊆

MW0905N - 50 gr MW0915N - 250 gr MW0925N - 1 kg

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for transformed snow, not wet and springtime icy, with temperature from -5°C to -1°C. Air humidity from 60% to 100%. Use hot application with the waxing iron at 120°/130°C.





HIGH FLUORINATED PARAFFIN

HP3 ORANGE 1

SNOW TEMP: - 4°/ 0° C HUMIDITY: 60 / 100% APPLICATION: 120° / 130 °C ≤

MW0916N - 250 ar MW0926N - 1 kg

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for springtime icy and grainy snow, but little wet, with temperature from -4°C to 0°C. Air humidity from 60% to 100%. Use hot application with the waxing iron at 120°/130°C.





HIGH FLUORINATED PARAFFIN

HP3 ORANGE 2

SNOW TEMP: - 3°/ 0° C **HUMIDITY**: 60 / 100% APPLICATION: 100°/110°C ₪

SNOW TEMP:

APPLICATION:

HUMIDITY:

MW0907N - 50 gr MW0917N - 250 ar MW0927N - 1 kg

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for clean wet snow, with temperature from -3°C to 0°C. and rainy conditions. Air humidity from 60% to 100%. Use hot application with the waxing iron at 100°/110°C.





PRODUCTS

HIGH FLUORINATED PARAFFIN

HP3 ORANGE 2 MOLY HOT ADDITIVE

MW0907MN - 50 gr MW0917MN - 250 gr MW0927MN - 1 kg

High fluoro solid paraffin with moly for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for wet snow and dirty snow from -3°C to 0°C. and rainy conditions. Air humidity from 60% to 100%. This paraffin can be used as a moly additive for HP3 RED, YELLOW 2, and ORANGE 1 in case of old dirty snow, both natural and artificial. Use hot application with the waxing iron at 100°/110°C.





MEDIUM FLUORINATED PARAFFIN

PRODUCTS

PRODUCTS

PRODUCTS

LP2 GREEN POWDER MW0950N SIZE 100 gr

SNOW TEMP: - 30°/ - 10° C **HUMIDITY**: 20 / 60% APPLICATION: 160 °C ₪

- 25°/ - 10° C

150° / 160 °C ⊆

20 / 60%

Fluorinated powder paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for fine-abrasive snow from -30°C to -10°C. Air humidity from 20% to 60%. This paraffin can be also used as an hardener for paraffins LP2 VIOLET and LP2 RED or HP3 VIOLET and HP3 RED in case of new or conserved abrasive snow and mixed with artificial snow. Use hot application with the waxing iron at 160°C.



waxing iron at 150°/160°C



LP2 MEDIUM FLUORINATED PARAFFIN

LP2 BLUE

HUMIDITY: APPLICATION: MW0951N - 100 ar MW0961N - 250 gr

SNOW TEMP:

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for old transformed snow, with temperature from -25°C to -10°C. Air humidity from 20% to 60%. Excellent during a long period without snow falling. Use hot application with the

MW0971N - 1 kg





MEDIUM FLUORINATED PARAFFIN

LP2 VIOLET

MW0952N - 100 gr MW0962N - 250 gr MW0972N - 1 kg

SNOW TEMP: - 12°/ - 6° C HUMIDITY: APPLICATION: 140° / 150 °C 🖂

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -12°C to -6°C. Air humidity from 20% to 60%. In case of new or conserved abrasive snow and artificial snow, mix LP2 VIOLET with LP2 GREEN. Use hot application with the waxing iron at 140°/150°C.





MEDIUM FLUORINATED PARAFFIN

LP2 RED

APPLICATION:

SNOW TEMP: **HUMIDITY**: 30 / 60% 130° / 140 °C ⊆

MW0953N - 100 gr MW0963N - 250 gr MW0973N - 1 kg

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -7°C to -3°C. Air humidity from 30% to 60%. In case of new or conserved abrasive snow, artificial snow and springtime icy snow, mix LP2 RED with LP2 GREEN. Use hot application with the waxing iron at 130°/140°C.

*In compliance with Regulation (EU) 2017-1000 *In compliance with Regulation (EU) 2017-1000 12 13

-3°/0°C

60 / 100%

100° / 110 °C ≤









LP2 YELLOW

MW0954N - 100 gr

SNOW TEMP: -5°/ -1° C 30 / 60% **HUMIDITY**: APPLICATION: 110° / 120 °C 5

CODE: MW0964N - 250 gr MW0974N - 1 kg

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow, not wet, with temperature from -5°C to -1°C. Air humidity from 30% to 60%. Use hot application with the waxing iron at 110°/120°C.





MEDIUM FLUORINATED PARAFFIN

LP2 ORANGE

MW0955N - 100 gr MW0965N - 250 gr MW0975N - 1 kg

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of wet snow with temperature from -4°C to 0°C and rainy conditions. Air humidity from 30% to 60%. Use hot application with the waxing iron at 100°/110°C.

PRODUCTS

CLEANER LINE







CLEANER

PRODUCTS

FLUORCLEAN

MW0750N - 150 ml -SPRAY MW0751N - 0,5 lt - LIQUID CODE: MW0752N - 1 It - LIQUID CODE:

Liquid cleaner to remove residuals of any type of perfluorinated wax and the dirt collected during activity.

SNOW TEMP:

APPLICATION:

HUMIDITY:

- 4°/ 0° C

100°/110°C ≤

30 / 60%



CLEAN

CODE: MW0755 - 150 ml - SPRAY CODE MW0756 - 0,5 lt - LIQUID MW0757 - 1 It - LIQUID MW0758 - 4,9 lt - LIQUID

Liquid cleaner to remove residuals of any type of paraffin (fluorinated paraffin included) and the dirt collected during activity.









RACING **BASE PARAFFIN**

ARCTIC BASE

SNOW TEMP: - 30°/ - 10° C APPLICATION: 160 °C Ҕ

MW1000 - POWDER - 100 gr MW0810 - 250 gr

MW0820 - 1 kg

Powder and solid paraffin for training use and racing. Use for new, fine, abrasive snow with temperature from -30°C to -10°C. In case of very abrasive old icy snow (spring snow and glacier snow), this paraffin can be used over the fluorocarbon waxes FP4 to increase their long lasting. The final result will be a lower hydrophobia. It can also be used as universal hardener to protect the polyethylene base along the steel edges foils in case of natural or artificial very abrasive snow. Use hot application with the waxing iron at 160°C.

PRODUCTS



RACING **BASE PARAFFIN MED BASE** SNOW TEMP: - 10°/ - 5° C APPLICATION: 130° / 140 °C ≤

CODE: MW0870 - 250 gr MW0875 - 1 kg

MW0876 - 1 kg

Solid base paraffin for any type of snow with temperature from -10°C to -5°C. It's an excellent product for the protection of racing ski bases and it can be used as universal training and testing base. Use hot application with the waxing iron at 130°/140°C.

RACING



BASE PARAFFIN SOFT BASE SNOW TEMP: -5°/0°C APPLICATION: 120° / 130 °C ≤ MW0871 - 250 gr

Solid base paraffin for any type of snow with temperature from -5°C to 0°C. It's an excellent product for the saturation and the protection of racing ski bases and it can be used as universal training and testing base. It has a melting point of 60°C so it's the best product for the hot saturation of polyethylene ski bases with the thermo-box or the thermo-cover. Use hot application with the waxing iron at 120°/130°C.

RACING



BASE PARAFFIN XSOFT BASE - 2°/ 0° C SNOW TEMP: APPLICATION: 110° / 120 °C 5 MW0873 - 250 gr MW0878 - 1 kg

Solid base paraffin for any type of snow with temperature from -2°C to 0°C. It's an excellent product for the saturation and the protection of racing ski bases. It has a melting point of 48°C so it's a very good product for the hot saturation of polyethylene ski bases with the thermo-box or the thermo-cover. Use hot application with the waxing iron at 110°/120°C.











LP15

LP15 VIOLET

MW0400N - 100 gr CODE: MW0410N - 250 gr MW0420N - 1 kg

LOW FLUORINATED PARAFFIN

AIR TEMP: - 19°/ - 9° C > 50 % **HUMIDITY**: APPLICATION: 140° / 150 °C ⊆



BP10 HYDRO CARBON PARAFFIN

BP10 VIOLET

MW0300 - 100 ar MW0310 - 250 gr MW0320 - 1 kg

AIR TEMP: HUMIDITY: - 19°/ - 9° C < 50 % APPLICATION: 140° / 150 °C ⊆

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, with temperature from -19°C to -9°C. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 140°/150°C.

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -19°C to -9°C. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 140°/150°C.

PRODUCTS







LP15 LOW FLUORINATED PARAFFIN

LP15 RED

MW0401N - 100 gr MW0411N - 250 gr MW0421N - 1 kg

- 9°/ - 3° C AIR TFMP: > 50 % **HUMIDITY**:

APPLICATION: 130°/140°C ⊆



BP10 HYDRO CARBON PARAFFIN PRODUCTS

BP10 RED

MW0301 - 100 ar CODE: MW0311 - 250 gr MW0321 - 1 kg

AIR TFMP: - 9°/ - 3° C < 50 % **HUMIDITY**: APPLICATION: 130° / 140 °C ⊆

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -9°C to -3°C. It's an excellent product for the protection of ski bases and it can be used as universal racing and training base. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 130°/140°C.

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -9°C to -3°C. It's an excellent product for the protection of ski bases and it can be used as universal racing and training base. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 130°/140°C.







LOW FLUORINATED PARAFFIN

LP15 YELLOW

MW0402N - 100 gr MW0412N - 250 gr MW0422N - 1 kg

-3°/+9°C >50 % AIR TEMP: HUMIDITY: APPLICATION: 120°/130°C ⊆



BP10 HYDRO CARBON PARAFFIN PRODUCTS

BP10 YELLOW

MW0302 - 100 gr MW0312 - 250 gr MW0322 - 1 kg

AIR TEMP: - 3°/ + 9° C HUMIDITY: < 50 % APPLICATION: 120° / 130 °C ⊆

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -3°C to +9°C. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 120°/130°C.

PRODUCTS

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -3°C to +9°C. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 120°/130°C.

*In compliance with Regulation (EU) 2017-1000 18 19



PRODUCTS

USE



THE WORK THE



LIQUID SKIWAX HIGH FLUORINATED PARAFFIN

HP3 COLD		HP3 MED		HP3 HOT		
	CODE:	MW0930N - 75 ml MW0940N - 0,5 lt	CODE:	MW0931N - 75 ml MW0941N - 0,5 lt	CODE:	MW0932N - 75 ml MW0942N - 0,5 lt

2°/ - 8° C SNOW TEMP:	- 9°/ - 2° C	SNOW TEMP:	- 3°/ 0° C
0/100% HUMIDITY:	60/100%	HUMIDITY:	60/100%

High fluorinated liquid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4.

HP3 COLD	Use for any type of snow from -22°C to -8°C. Air humidity from 60% to 100%.
HP3 MED	Use for any type of snow from -9°C to -2°C. Air humidity from 60% to 100%
HP3 HOT	Use for any type of snow from -3°C to 0°C. Air humidity from 60% to 100%.

Use cold application with manual cork and manual brush





*In compliance with Regulation (EU) 2017-1000

LIQUID SKIWAX FLUORINATED PARAFFIN


S	1 LOOTHIVITED 1740 WITH					
PRODUCTS	LP2 COLD		LP2 MED		LP2 HOT	
PRC	CODE: MV	V0980N - 75 ml V0983N - 150 ml V0986N - 0,5 lt	CODE: MW09	981N - 75 ml 984N - 150 ml 987N - 0,5 lt	CODE: MW	/0982N - 75 ml /0985N - 150 ml /0988N - 0,5 lt
NSE	SNOW TEMP: HUMIDITY:	- 22°/ - 8° C 30/60%	SNOW TEMP:	- 9°/ - 2° C 30/60%	SNOW TEMP: HUMIDITY:	- 3°/ - 0° C 30/60%

Fluorinated liquid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4.

LP2 COLD	Use for any type of snow from -22°C to -8°C. Air humidity from 30% to 60%.
LP2 MED	Use for any type of snow from -9°C to -2°C. Air humidity from 30% to 60%.
LP2 HOT	Use for any type of snow from -3°C to 0°C. Air humidity from 30% to 60%.

Use cold application with manual cork and manual brush.





Liquid paraffin for training use and leisure.

BP1 COLD	Use for any type of snow from -22°C to -8°C. Racing use with air humidity < 40%.
BP1 MED	Use for any type of snow from -9°C to -2°C. Racing use with air humidity < 40%.
	It can be used as universal training product.
RP1 HOT	Use for any type of snow from -3°C to 0°C. Racing use with air humidity < 40%

Use cold application with manual cork and manual brush



LIQUID SKIWAX GLIDING LIQUID KIT

BP1 KIT 3 x 75 ml

CODE: MW0839

Liquid paraffin for training use and leisure.

BP1 COLD Use for any type of snow from -22°C to -8°C. Racing use with air humidity < 40%..

BP1 MED Use for any type of snow from -9°C to -2°C. Racing use with air humidity < 40%.

It can be used as universal training product.

BP1 HOT Use for any type of snow from -3°C to 0°C. Racing use with air humidity < 40%.

Use cold application with manual cork and manual brush.



BP1 COLD KIT

SNOW TEMP: - 22°/ - 8° C HUMIDITY: < 40%

• Kit with MT0111 (cork/nylon brush)



BP1 MED KIT CODE: MW0202

SNOW TEMP: - 9°/ - 2° C HUMIDITY: < 40%

 Kit with MT0111 (cork/nylon brush)



BP1 HOT KIT CODE: MW0203

SNOW TEMP: - 3°/ 0° C HUMIDITY: < 40%

 Kit with MT0111 (cork/nylon brush)



UNIVERSAL FLUORO

 Kit with MT0111 (cork/nylon brush)



JUDE: MW0206

Kit with:

MW0830 (BP1 Cold 75 ml) Snow Temp. -22°C to -8°C. Air humidity < 40%. MW0831 (BP1 Med 75 ml) Snow Temp. - 9°C to -2°C. Air humidity < 40%. MW0832 (BP1 Hot 75 ml) Snow Temp. - 3°C to 0°C. Air humidity < 40%. MW0755 (Clean 150 ml)

MW0755 (Clean 150 ml) MT0900 (Fiberlene tape) MT0111 (cork/nylon brush)

High quality universal liquid paraffin for training, sporting use and leisure. Thanks to the different wax versions included in this kit, it can be used for all type of snow. The product has a felt cap applicator to allow a quick waxing "last minute" operation with great gliding and long lasting, on ski sole and even on skin skis. Otherwise the useful cork/nylon brush let allows to have a professional gliding result.

*In compliance with Regulation (EU) 2017-1000







UNIVERSAL FLUORO SUPER GLIDE WAX

DISPLAY BOX LIQUID

CODE: MW0718N SIZE: 12 pz x 75 ml

SNOW TEMP: - 15°/ 0° C

High quality universal liquid paraffin for sporting use and leisure. Use for all type of snow. The product has a felt cap applicator to allow a quick waxing "last minute" operation with great gliding and long lasting.



UNIVERSAL FLUORO SUPER GLIDE WAX

DISPLAY BOX CREAM

CODE: MW0724N SIZE: 12 pz x 75 ml

PRODUCTS

PRODUCTS

PRODUCTS

SNOW TEMP: - 15°/ 0° C

High quality universal low fluoro glide wax. Ideal for sporting and leisure in all conditions. Quick application with the sponge-cap included by rubbing and pressing. Then for best results polish the base with a horsehair or nylon brush.



UNIVERSAL FLUORO SUPER GLIDE WAX

CREAM
CODE: MW0722N
SIZE: 250 ml

SNOW TEMP: - 15°/ 0° C

High quality universal low fluoro glide wax. Ideal for sporting and leisure in all conditions. Quick application with the sponge included by rubbing and pressing. Then for best results polish the base with a horsehair or nylon brush.





UNIVERSAL FLUORO SUPER GLIDE WAX

SOLID

CODE: MW0728N SIZE: 100 gr

SNOW TEMP: APPLICATION:

- 15°/ 0° C 130° / 140 °C ⊆

Universal all temperature high quality paraffin glide wax for sporting and leisure in all conditions. Use hot application with the waxing iron at 130°/140°C. Also ideal for rub-on and go application!







UNIVERSAL SOLID UNIVERSAL WAX LINE

RED

CODE: MW0700 - 100 gr CODE: MW0702 - 1 kg

SNOW TEMP: APPLICATION:

- 15°/ - 5° C 130° / 140 °C 屆

Universal solid paraffin for sporting use and leisure. Use for all type of snow, not moist and wet, with temperature from -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 130°/140°C or with professional waxing machines.



UNIVERSAL BACKSHOP **GRANULAR AND SOLID WAX**

COLD

CODE: MW0709 - 1 Kg CODE: MW0710 - 5 kg CODE: MW0712 - 20 kg

SNOW TEMP: - 15°/ -5° C

Universal solid and granular paraffin for all type of winter snow, not moist and wet, from temperature -15°C to -5°C.It's a product especially suitable for rentals and laboratories. Use hot application with professional waxing machines.

UNIVERSAL BACKSHOP GRANULAR AND SOLID WAX

HOT

CODE: MW0714 - 1 Kg CODE: MW0711 - 5 kg CODE: MW0713 - 20 kg

SNOW TEMP:

- 5°/ 0° C

Universal solid and granular paraffin for all type of moist and wet snow from temperature -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with professional waxing machines.



UNIVERSAL SOLID UNIVERSAL WAX LINE

YELLOW

MW0701 - 100 gr CODE: MW0703 - 1 kg

-5°/0°C APPLICATION: 110° / 120 °C 屆

Universal solid paraffin for sporting use and leisure. Use for all type of moist and wet snow, with temperature from -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 110°/120°C or with professional waxing machines.



MAPLUS IVERSAL FLUORO 2 2 5 3

UNIVERSAL SOLID FLUORINATED UNIVERSAL WAX LINE

RED FLUORO

PRODUCTS

PRODUCTS

CODE: MW0705N - 100 gr CODE: MW0707N - 1 kg

SNOW TEMP: - 15°/ - 5° C APPLICATION: 130° / 140 °C ₪

Universal fluorinated solid paraffin for sporting use and leisure. Use for all type of snow, not moist and wet, with temperature from -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 130°/140°C or with professional waxing machines.



MAPLUS UNIVERSAL FLUORO YELLOW BEER

UNIVERSAL SOLID FLUORINATED UNIVERSAL WAX LINE

YELLOW FLUORO

CODE: MW0708N - 1 kg

APPLICATION:

- 5°/ 0° C 110° / 120 °C Ҕ

Universal fluorinated solid paraffin for sporting use and leisure. Use for all type of moist and wet snow, with temperature from -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 110°/120°C or with professional waxing machines.



UNIVERSAL LIQUID

UNIVERSAL LIQUID UNIVERSAL WAX LINE

MW0715 - 1 lt CODE: MW0716 - 4.9 lt

Universal liquid paraffin for sporting use and leisure. Use for all type of snow. It's a product especially suitable for rentals and laboratories. Use cold application with brush and manual cork.



ANTI ICE UNIVERSAL WAX LINE **PRODUCTS ANTI ICE** CODE: MW0732 SIZE: 150 ml

Special silicone spray made to prevent the grip waxes from freezing or to avoid ice formation on the kick zone of no-wax ski. It's also useful to avoid ice formation on the serigraphy and the side of any type of ski. Cold application.

*In compliance with Regulation (EU) 2017-1000 28 29







UNIVERSAL TOUR
TOURING SKIN & BASE WAX

DISPLAY BOX LIQUID

CODE: MW0747 SIZE: 12 pz x 75 ml

nl SNOW TEMP:

- 15°/ 0° C

High quality universal liquid paraffin for sporting use on ski-alp skins and ski bases with every kind of snow. The product has a felt cap applicator that allows quick cold "last minute" waxing with great gliding and long lasting.



UNIVERSAL TOUR
RACING SKIN WAX

PRODUCTS

BLUE BOOST RUB-ON

CODE: MW0748N SIZE: 20 gr

SNOW TEMP: -20°/ -5° C APPLICATION: 150° C

Fluorocarbon special solid mix for waxing ski-alp racing skins. Use for every cold snow from -20°C to -5°C. Recommended cold application by rubbing over the skin. To obtain even higher durability some quick passages with waxing iron at 150° C can be made (exclusively on pure mohair skins).

THE PROPERTY OF



UNIVERSAL TOUR RACING SKIN WAX

RED BOOST RUB-ON

CODE: MW0749N SIZE: 20 gr

SNOW TEMP: -5°/ 0° C APPLICATION: 150° C

Fluorocarbon special solid mix for waxing ski-alp racing skins. Use for every warm and wet snow from -5°C to 0°C. Recommended cold application by rubbing over the skin. To obtain even higher durability some quick passages with waxing iron at 150° C can be made (exclusively on pure mohair skins).



UNIVERSAL TOUR
TOURING SKIN & BASE WAX

UNIVERSAL SKIN SPRAY

CODE: MW0745 SIZE: 250 ml

PRODUCTS

SNOW TEMP:

P: -15°/ 0° C

Universal spray polymer for skin protection from icing and dirt, improving gliding properties. For all snow conditions.

*In compliance with Regulation (EU) 2017-1000



GRIP WAX LINE





GRIPWAX BASE **ORANGE S10**

CODE: MW0S10 SIZE: 45 ar

ALL AIR TEMP - STICKBASE

Stick base to be used always as first layer of solid waxes with fine falling snow and new aggressive snow little transformed or mixed with artificial snow. It works with every air temperature.



GRIPWAX GREEN S11 CODE: SIZE: MW0S11 45 gr

- 16°/ - 8° C 😽 AIR TEMP:

Stick wax to be used with fine falling snow and new aggressive snow little transformed or mixed with artificial snow. It works with air temperature from -16°C to -8°C.



GRIPWAX DARK BLUE \$12 CODE: MW0S12 SIZE: 45 gr

AIR TEMP: - 10°/ - 6° C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -10° C to



GRIPWAX PRODUCTS LIGHT BLUE S13 CODE: SIZE: MW0S13 45 ar

AIR TEMP: - 5°/ - 3° C

> Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -5° C to -3°C.



GRIPWAX DARK VIOLET S14 MW0S14

CODE: SIZE: 45 ar

AIR TEMP: - 3°/ - 1° C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -3° C to -1°C.



GRIPWAX LIGHT VIOLET S15

MW0S15 CODE: SIZE: 45 ar

AIR TEMP: $-2^{\circ}/+1^{\circ}$ C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -2° C to +1°C.



GRIPWAX

PRODUCTS **RED S16** CODE: MW0S16 SIZE: 45 ar

USE AIR TEMP $0^{\circ}/ + 4^{\circ} C$

> Stick wax to be used with falling snow and new snow or mixed with artificial snow. It works with air temperature from 0° C to +4°C.



GRIPWAX BASE **GREEN K10** MW0K10 CODE: SIZE: 60 gr

AIR TEMP: - 7°/ - 1° C

Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -7°C to -1°C. Moreover it must always be used as first layer (base klister) for all klister wax with any temperature.



GRIPWAX BLUE K11 MW0K11 CODE: SIZE: 60 gr

PRODUCTS

JSE

-4°/0°C \(\frac{1}{2}\) AIR TEMP:

Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -4°C to 0°C.



GRIPWAX VIOLET K12 CODE: MWOK12

SIZE: 60 gr

- 3°/ + 3° C S AIR TEMP:

Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -3°C to +3°C.



GRIPWAX RED K13 CODE: MW0K13 60 gr SIZE:

> AIR TEMP: - 1°/ + 4° C Klister to be used with transformed snow with big crystals and with icy coarse and wet snow or mixed with

> artificial snow. It works with air

temperature from -1°C to +4°C.

GRIPWAX BASE **SILVER K14** CODE: MW0K14 SIZE: 60 gr

AIR TEMP: $0^{\circ}/ + 5^{\circ} C$ Silver Klister to be used with

transformed snow or mixed with artificial snow with big and medium crystals. It works with air temperature from 0°. to +5°C. Very good to reduce friction and speed up sliding on very abrasive snow.



GRIPWAX PRODUCTS **UNIVERSAL K15** CODE: MW0K15 SIZE: 60 gr

> AIR TEMP: $-5^{\circ}/+5^{\circ}$ C

Universal Klister to be used with transformed snow or mixed with artificial snow with big crystals transforming from wet to icy. It works with air temperature from -5 °C to +5°C and it avoids ice formation.



KIT MW0SK050 CODE:

1pc: 1pc: MW0S13 MW0S14 1pc: MW0S15 1pc: MW0K15

1pc: MT0113 MT0510









TOOLS AND ACCESSORIES **MAPLUSTEX FINE**

CODE: MT0090RS LENGHT: 10 cm - DIAMETER 11 cm

Thanks to its abrasive microlamine, it allows to speed up ski sole in really short time - just three passages are recommended – after new structuring with grinding machine. It also rejuvenates ski sole from opacity due to very abrasive or icy snow or after using an overtemperatured waxing iron.



TOOLS AND ACCESSORIES

MAPLUSTEX EXTRA FINE

CODE: MT0095RS

LENGHT: 10 cm - DIAMETER 11 cm


Thanks to its special fibres, it is recommended for removing microhairs from nordic skis after new structuring or grinding up. It also gives the final touch to the skis speeding up done with MaplusTex Fine: three passages after using MaplusTex Fine guarantee the best final results. Specially indicated for removing residues of a very hard solid wax, as Maplus Artic Base solid.

HOW TO USE TIPS

- -having a larger diameter than normal rotating brushes, they must be used with minimum pressure at a maximum drill speed of 700/800 revolutions
- -it is preferable to use them before preparing the edges, in order to avoid rounding off the cusps;
- -after using MaplusTex rollers it is recommended to thoroughly clean the base with a specific liquid cleaner, as Maplus Clean, so to remove any

MANUAL BRUSHES





PRODUCTS

MANUAL BRUSH

CODE:

HARD HORSEHAIR CODE: MT0101

SOFT HORSEHAIR

MT0104

To be used for deep brushing of any type of paraffin and perfluorinated wax.

To be used for fine brushing of any type of paraffin and perfluorinated wax.



MANUAL BRUSH


HARD HORSEHAIR CODE: MT0121

SOFT HORSEHAIR CODE: MT0124

To be used for deep brushing of any type of paraffin and perfluorinated wax.

To be used for fine brushing of any type of paraffin and perfluorinated wax.

To be used with front and back movements for surface brushing and polishing of any type of paraffin and perfluorinated wax.



PRODUCTS

MANUAL BRUSH

> HARD NYLON CODE: MT0105

SOFT NYLON CODE: MT0102

To be used with front and back movements for surface brushing and polishing of any type of paraffin and perfluorinated wax.


To be used for deep polishing of any type of paraffin and perfluorinated wax.



MANUAL BRUSH

HARD NYLON CODE: MT0125

To be used for deep polishing of any type of paraffin SOFT NYLON and perfluorinated wax. CODE: MT0122



MANUAL **BRUSH**

HARD BRASS CODE: MT0106


To be used for first brushing of any type of soft and med paraffin.



MANUAL PRODUCTS **BRUSH**

HARD BRASS CODE:

To be used for first brushing of any type of soft and med paraffin.



MANUAL

BRUSH

SOFT BRASS MT0103 CODE:

To be used for smooth brushing of any type of soft and med paraffin and during the polyethylene-base cleaning operations.



MANUAL BRUSH

> **SOFT BRASS** CODE: MT0123

To be used for smooth brushing of any type of soft and med paraffin and during the polyethylene-base cleaning operations.



PRODUCTS

SOFT STEEL CODE: MT0107

MANUAL

BRUSH

To be used for smooth brushing of any type of hard paraffin and during the polyethylene-base cleaning operations.



MANUAL PRODUCTS **BRUSH**

HARD STEEL CODE: MT0128

SOFT STEEL CODE: MT0127 To be used for first brushing of any type of hard paraffin and for speeding up polyethylene ski sole during its saturation.

To be used for smooth brushing of any type of hard paraffin and during the polyethylene-base cleaning operations.

40

Angled wire





PRODUCTS

ROTO BRUSH

HORSEHAIR

MT0012 - 10 cm To be used for deep brushing of any type of paraffin MT0042 - 14 cm and perfluorinated wax on cross-country and alpine ski as well as snowboard.





PRODUCTS

ROTO BRUSH

NYLON CODE:

MT0013 - 10 cm MT0043 - 14 cm MT0015 - 20 cm

To be used for polishing of any type of paraffin and perfluorinated wax on cross-country and alpine ski as well as snowboard.



ROTO BRUSH

BRASS

MT0018 - 20 cm

MT0011 - 10 cm MT0018 - 20 cm To be used for first brushing of soft and med paraffin on cross-country and alpine ski as well as snowboard.



PRODUCTS

STEEL CODE: CODE:

ROTO

BRUSH

MT0017 - 10 cm MT0019 - 20 cm
To be used for first brushing of hard paraffin on cross-country and alpine ski as well as snowboard.



BRUSH

CODE:

ROTO

MT0022 - 10 cm MT0024 - 14 cm

To be used for FP4 perfluorinated wax application.



ROTO BRUSH

XC COMBI 1

MT0049 - 14 cm

42

To be used for deep brushing and polishing of any type of paraffin on cross-country ski.



ROTO BRUSH

PRODUCTS

QUICK GRIP MT0030 CODE:



ROTO BRUSH **PRODUCTS**

NOMIC GRIP CODE: MT0040



ROTO BRUSH

QUIK DRIVE SHAFT

MT0031 - 10 cm MT0032 - 14 cm MT0033 - 20 cm CODE: CODE:

ROTO **BRUSH**

NOMIC DRIVE SHAFT

CODE: MT0041 - 10 cm MT0047 - 14 cm MT0048 - 20 cm

MANUAL BRUSH

ROTO KIT 10 CM - CORK CODE: MT0060 (MT0040 + MT0041 + MT0022-12-13)











MANUAL **BRUSH**

ROTO KIT 10 CM - BRASSCODE: MT0065 (MT0040 + MT0041 + MT0011-12-13)











MANUAL BRUSH

> **ROTO KIT 10 CM - POLYESTER** MT0066 (MT0040 + MT0041 + MT0070-12-13)













BRUSH PRODUCTS

ROTOBRUSH BOX BMC0103 38x28x9 cm only for 10 cm brushes

MANUAL





PRODUCTS

SPEED FABRIC

ROLLERS

SPREADING ROLLER POLYESTER

CODE: MT0070 - cm 10 CODE: MT0075 - cm 14 CODE: MT0080 - cm 20



SPEED FABRIC ROLLERS

POLISHING ROLLER MERINO WOOL 12mm

CODE: MT0072N - cm 10 CODE: MT0077N - cm 14 CODE: MT0082N - cm 20



WAXING IRONS

ADJUSTABLE WAXING IRON T10B.15

CODE: KZ05000N AC 220V MAX TEMP. 200°C First choice waxing iron with easy temperature manual setting

Easy waxing in all directions due to ergonomic shape. Very competitive quality/price ratio.



SPEED FABRICROLLERS

POLYESTER & MERINO WOOL ROTO SET CM 10



PRODUCTS

SPEED FABRIC ROLLERS

POLYESTER & MERINO
WOOL ROTO SET CM 14



SPEED FABRIC ROLLERS

POLYESTER & MERINO WOOL ROTO SET CM 20 CODE: MT0087N Polyester and Merino wool rollers especially recommended for hot or cold application of every FP4 perfluorinated waxes (powder, spray or solid).

Instead of roto-cork and traditional horsehair and nylon brushes, use new rollers of polyester and merino wool as follows:

- 1. Roll the base surface with the roto-polyester in both directions at a speed between 1000 and 1500 rpm according to the pressure applied. Repeat several times until the complete saturation of the base surface. Wait at least 10 minutes for cooling of the base surface and for the ski wax to harden.
- 2. Free the base structure with the 5 mm. roto-wool.
- 3. Polish the base structure with the 12 mm. roto-wool.

For top performances is necessary one set of new rollers for every type of product (cold-med-hot).



WAXING IRONS

DIGITAL WAXING IRON T10A.15

CODE: KZ06000N AC 220V MAX TEMP. 200°C Professional powerfull digital waxing iron. The digital microprocessor controls temperature adjustment till 200°C. Inox iron plate guarantees a constant temperature of working. Easy waxing in all directions due to ergonomic shape.



WAXING IRONS

DIGITAL Waxing Iron T10A.35

CODE: KZ03000N AC 220V MAX TEMP. 200°C World Cup high professional waxing iron, with extremely precise digital temperature setting by digital microprocessor. The 35mm thick inox iron base guarantees the fully constant temperature. This iron wax is especially studied for handling all racing perfluorinated waxes which require stable and constant high temperature. Easy waxing in all directions due to ergonomic shape.



WAXING IRONS

FACIAL MASK CODE: KZ08000 CE EN 136 - Class 3



WAXING IRONS

FILTER FOR FACIAL MASK

KZ08001 MSA A2-B2-E2-K1-HG-P3 CE



SKI **FILES**

> HARD CHROME FINE ML0001 - 150 mm ML0002 - 200 mm

Universal FINE file with hardchromed surfaces: satisfied the technical requirements of professional skimen

SKI

PRODUCT

FILES

HARD CHROME COARSE
CODE: BK00010 - 150 mm
CODE: ML0003 - 200 mm CODE: ML0003 - 200 mm

Universal COARSE file, with hard-chromed surfaces: satisfied the technical requirements of professional skimen

SKI

FILES

HARD CHROME SUPER COARSE CODE: ML0004 - 200 mm

Universal SUPERCOARSE file, with hardchromed surfaces: satisfied the technical requirements of professional skimen

SKI **FILES**

PRODUCTS

COMBI FILE MEDIUM - COARSE CODE: ML0530 - 80 mm

Made of premium steel, this is the only ski file with two different cuts: a coarse cut on one side to provide an high and frank bite, and a medium cut on the other side to provide a fine tune on edge sharpening. Now with the same file it is possible to remove the excess of sidewall material, to sharpen damage edges and to refine edge sharpening with high precision. Its dimensions are adapted to most sharpeners of 80mm in length. With this combination, sharpening it is not only faster but also much more easy: every skis or snowboard will have a precise and powerful bite.



SKI **FILES**

FILE BRUSH MT0100

The perfect brush for cleaning all kind of files



SKI **FILES**

BODY FILE

CODE: ML0005 - 300 mm

Radial file special studied for roughing skis and snowboards



SKI **FILES**

> **PROFESSIONAL** HARD CHROME **BASTARD**

ML0501 - 200 mm

SKI **FILES**

PROFESSIONAL HARD CHROME **2ND CUT** CODE: ML0502 - 200 mm SKI **FILES**

PROFESSIONAL HARD CHROME **SMOOTH**

ML0503 - 150 mm

Due to their high level precision and performance, these files are considered as the reference by the world's most renowned professional skimen. They are chosen by the most demanding users for their smooth and consistent bite. Thanks to their chromed plates, these files are protected against corrosion.



SKI **FILES**

PROFESSIONAL NO-CHROME BASTARD ML0511 - 200 mm

SKI **FILES** 2

> **PROFESSIONAL NO-CHROME 2ND CUT** CODE: ML0512 - 200 mm

SKI **FILES**

> **PROFESSIONAL NO-CHROME SMOOTH** CODE:

Due to their high level precision and performance, these files are considered as the reference by the world's most renowned professional skimen. They are chosen by the most demanding users for their smooth and consistent



SKI

PRO RS NO-CHROME **COARSE** ML0525 - 100 mm

SKI **FILES**

> PRO RS NO-CHROME **MEDIUM** ML0526 - 100 mm CODE:

SKI **FILES**

PRO RS NO-CHROME FINE CODE:

These files benefit from ideal dimensions and fit to a very precise sharpening. Produced with a premium steel in order to assure a consistent quality to the product. These files are optimized for an exceptional biting and do not clog.

DIAFACE - DIAMOND - STONES





DIAFACE

DIAFACE 100 gr MP0210 - 70 mm CODE:

DIAFACE 400 gr MP0212 - 70 mm

MP0200 - 100 mm

MP0202 - 100 mm

DIAFACE 1500 gr

MP0214 - 70 mm MP0204 - 100 mm

DIAFACE 200 gr MP0211 - 70 mm CODE:

MP0201 - 100 mm

DIAFACE 600 gr MP0213 - 70 mm MP0203 - 100 mm

WORLD CUP DIAMOND 200 gr

MP0311 - 70 mm

WORLD CUP DIAMOND 600 gr MP0313 - 70 mm

MP0303 - 100 mm

MP0301 - 100 mm



DIAMOND

WORLD CUP DIAMOND 100 ar CODE:

MP0310 - 70 mm MP0300 - 100 mm

WORLD CUP DIAMOND 400 gr MP0312 - 70 mm

MP0302 - 100 mm

WORLD CUP DIAMOND 1000 ar MP0314 - 70 mm



NATURAL STONE CODE: MP0002 - FINE MP0003 - MEDIUM

STONES



STONES

DIAFACE

MINI SQUARE 88°

MINI SQUARE 87°

CODE: MP0150

CODE: MP0151

for diaface 70 mm

for diaface 70 mm

GUMMY STONE ALLAROUND



STONES

CODE:

GUMMY STONE FINE



STONES

PRODUCTS

ARKANSAS MP0004 - EXTRA FINE CODE:



STONES

ALU OXIDE STONE CODE: BK00006 MEDIUM

WAXING TOOLS





WAXING T00LS **PRODUCTS**

CORK/NYLON BRUSH CODE: MT0111 75 x 55 x 34 mm



WAXING T00LS **PRODUCTS**

SYNTHETIC CORK CODE: MT0113 70 x 50 x 35 mm



WAXING T00LS

WAXING

DIGITAL THERMO

MT0920

temp. -40°/+70°

hr. 1% / 99%

HYGROMETER

T00LS

CODE:

PRODUCTS

PRODUCTS

THERMO-HYGROMETER CODE: MT0923

temp. -20°/+50° hr 10% / 95%



WAXING T00LS

> PROFESSIONAL DIGITAL THERMOMETER WITH PENETRATION PROBE CODE: MT0918

temp. -40°/+200°



WAXING T00LS

CORK/FELT PAD CODE:

135 x 42 x 39 mm

PRODUCTS



WAXING T00LS **FELT PAD**

> MT0118 CODE: 135 x 42 x 39 mm



WAXING T00LS

VELCRO® PAD

MT0119 CODE: 135 x 42 x 39 mm



T00LS

CORK CODE:

MT0110 70 x 50 x 35 mm



WAXING T00LS

NORDIC SCRAPER CODE: MT0510

GROOVE SCRAPER CODE: MT0512



MAPLUS

WAXING T00LS

PLEXY SCRAPER CODE: MT0511



WAXING T00LS

PRODUCTS

STEEL SCRAPER CODE: MT0513 - 1 mm



WAXING T00LS

PTFE TAPE MT0901 CODE: 10 mt x 130 mm

PTFE SHEET MT0902 - 10 pcs 200 x 130 mm



WAXING T00LS

FIBERLENE TAPE CODE: MT0900

10 mt x 130 mm



WAXING



WAXING T00LS

SKIMAN BOX

CODE: BMC0100 470 x 360 x 175 mm



WAXING T00LS

POWDER NET DISPENSER CODE: MT0905

WAXING T00LS

> **WAXING THERMO BAG** CODE:

MT0800 - AC 220V 2200 x 450 x 450 mm ADJUSTABLE TEMP: 30°C - 60°C



WAXING T00LS

THERMO WAXING COVER ALPINE - MT0801N - AC 220V ALPINE - MT0801NUS - AC 110V

55°C - 60°C - 2300 x 140 mm 55°C x 1,5 h for quick skibase saturatio



WAXING T00LS

 \mathbb{S}

THERMO WAXING COVER

FREERIDE - MT0805N - AC 220V FREERIDE - MT0805NUS - AC 110V

55°C - 60°C - 2000 x 170 mm 55°C x 1,5 h for quick ski base saturation



WAXING T00LS **PRODUCTS**

CLAMP FOR THERMO COVER CODE: MT0802

WAXING T00LS

STANDARD THERMOMETER CODE: MT0915 temp. -20°/+50°



WAXING T00LS

DIGITAL PROBE THERMOMETER CODE: MT0921 temp. -40°/+200°



PRODUCTS

WAXING T00LS

INFRARED THERMOMETER GUN CODE: MT0916

temp. -33°/+500°

MAINTENANCE SOLES





PRODUCTS

SKILAB ACCESSORIES

PROTECTIVE MASK CODE: KZ08005



SKILAB

ACCESSORIES

TRUE BAR CODE: MT0514 - 3 mm

STEEL SCRAPER



MAINTENANCE SOLES



LK00001 - trasparent - 4pcs LK00002 - graphite - 4pcs 250 x 80 x 1,3 mm



MAINTENANCE SOLES

FREE CANDLE Ø 8 mm

LK20001 - transparent LK20002 - graphite LK20003 - black



SKILAB ACCESSORIES

HOLE PLUGS

LK21101 - 500 pcs MIXED NORMAL COLORS



SKILAB

ACCESSORIES

PLASTIC BUSHING THREADED CODE: LK21201 - 100 pcs





MAINTENANCE

SOLES

GUN CANDLE ø 11.5 mm LK20301 - transparent

LK20302 - graphite LK20303 - black



MAINTENANCE

CODE:

WELDING STRIP

LK20401 - transparent LK20402 - graphite LK20403 - black



SKILAB

ACCESSORIES

STEEL SKI DRIL CODE: MM420L -MM420L - 3,5 x 7 mm MM420L - 3,5 x 9 mm MM420L - 3,8 x 10 mm CODE: CODE: MM420L - 3,8 x 15 mm

MM420L - 4,1 x 9 mm

pzd3 x 110 mm - A4 standard



SKILAB

ACCESSORIES

HARD STEEL SKI DRILL

MM420C0 - 4,1 x 9 mm



SKILAB

ACCESSORIES

SCREW DRIVER BIT

MMF4302

pzd2 x 110 mm - A4 standard

MMF4303



SKILAB

ACCESSORIES

LUBRICANT FOR SKI BINDINGS

CODE: MM490 - 150 ml



SKILAB

ACCESSORIES

ELASTICS FOR

CODE: SM058100 - 1 kg



SKILAB

ACCESSORIES

SAND PAPER 70 x 200 mm CODE: BK00008 gr 600 - 5 pcs



BINDING



SAND PAPER 120 x 200 mm

BK00950 gr 180 - 5 pcs BK00951 gr 120 - 5 pcs



SKILAB

ACCESSORIES

STEEL STRUCTURE BRUSH

CODE: BK00130



WAXING T00LS

PRODUCTS

MAPLUSTEX KIT

CODE: BK00009 135 x 110 x 7 mm

three different abrasive mats for smoothening ski base



MAINTENANCE

SOLES

WIRE FOR SMEARING MACHINE ø 3mm - 0.5 ka

LK20601 - transparent LK20602 - graphite LK20607 - black



MAINTENANCE SOLES

WIRE FOR SMEARING MACHINE ø 3mm - 1.5 kg

LK20661 - transparent LK20662 - graphite LK20667 - black



MAINTENANCE

SOLES

PRODUCTS

METAL GRIP ø 3,5mm - 10 mt LK20902 - transparent

LK20904 - graphite



MAINTENANCE

SOLES

POLYMERIC ADHESIVE **FOR SKI BASE REPAIRING**

LK00010 - amber - 25 ml LK00015 - black - 25 ml



MAINTENANCE SOLES

MIXING TIPS

CODE: LK00016 - 12 pcs



MAINTENANCE SOLES

UNIVERSAL

CYANACRYLATE ADHESIVE LK00020 - transparent - 30 gr



MAINTENANCE SOLES

PRIMER FOR **POLYETHYLENE**

CODE: LK00021 - spray - 15 ml



SKI MAN FOLDING TABLE



SKI MAN FOLDING TABLE

SKI MAN

FOLDING TABLE

XC SKIMAN TABLE PRO MT0612 - 11,5 Kg

Aluminium light weight

L213 x W47 x H92 cm

UNIVERSAL SKIMAN TABLE CODE: MT0610 - 16,5 Kg

Bag included L102 x W50 x H85 cm






CODE:



SKI MAN ACCESSORIES

XC PROFILE PRO CODE:

MT0613 Aluminium light weight for table 611-612



SKI MAN

ACCESSORIES

SKI RACK CODE: MT0614

GENERAL CATALOG 2021/22



SKI MAN ACCESSORIES

PRODUCTS

CENTRAL CLIP CODE: MT0617

for profile 613



SKI MAN ACCESSORIES

IRON HOLDER CODE: MT0620



SKI MAN

FOLDING TABLE

MT0611 - 8 Kg

Aluminium light weight L113 x W47 x H96 cm



SKI MAN ACCESSORIES

RUBBISH BAG HOLDER CODE: MT0621



SKI MAN

ACCESSORIES

XC PROFILE SET PRO

MT0623 Aluminium light weight

SKI MAN FOLDING TABLE

TRAVEL BENCH CODE: MT0640

L115 x W9,5 x H120 cm.



SKI MAN ACCESSORIES

UNIVERSAL DOUBLE BENCH

L110 x W40 x H84 cm

CODE: MT0630 - 19 Kg

TABLE BAG CODE: MT0608

for table 610 MT0628 for table 611-612



SKI MAN ACCESSORIES

XC PROFILE SET CODE: MT0635

L150 x W4 x H18 cm. 3,7 kg. (ski from 140 to 210 cm.)

With handle and folding legs

SKI AND SNOWBOARD

SKI VISE TOURING

CODE: SM01007

- Especially designed for tuning Touring skis
- · Lateral supports in high-tensile aluminium body
- · Central in high-impact plastic body
- Two side edge positions: standard 90° and easy 60°



SKI AND SNOWBOARD

VISE

SKI VISE TOURING CENTER ONLY SM01007C



SKI AND SNOWBOARD

PRODUCTS

SKI VISE 24 HOURS SM00650 CODE:

- · High-tensile aluminium body · Light and easy to transport
- · For tuning all types & shapes of skis
- Special rubber to grip the ski during side and base
- Included 2 brake retainers





SKI AND SNOWBOARD

PRODUCTS

SKI VISE QUICK

- · High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during base work
- Included 2 brake retainers

SKI AND SNOWBOARD

SKI SUPPORT

- · High-tensile aluminium body
- · Light and easy to transport
- For tuning all types & shapes of skis Special rubber to grip the ski during
- base work
- Included 2 brake retainers



SKI AND SNOWBOARD

PRODUCTS

BRAVO SUPPORT

SM00635 CODE: for SM00691-1070N-1110N-1110NW

• Universal adapter with special rubber to grip cross-country ski, snowboard & wide ski during the base tuning





SKI AND SNOWBOARD

PRODUCTS

SKI VISE COMP

CODE: SM00691 max opening 85 mm

- Jaw width 30 mm
- Jaw opening: up to 90 mm
- · High-tensile aluminium body
- · Light and easy to transport
- For tuning all types & shapes of skis
- Included 2 brake retainers





SKI AND SNOWBOARD

VISE

PRODUCTS

SKI VISE RACING

CODE: SM01070N max opening 100 mm

- Jaw width: 70 mm
- Jaw opening: up to 100 mm
- Rubber lined vice jaws
- . Special rubber with small suction cups on the top grip of the supports
- · Adjustable guide blocks
- For skis with all kinds of riser plates
- High tensile aluminum body
- Also use horizontally for mounting bindings
- Included 2 brake retainers
- . Designed to clamp also in the plate or binding



PRODUCTS VISE

SKI VISE PRO

CODE: SM01110N max opening 100 mm

- Jaw width 90 mm
- Jaw opening: up to 100 mm
- High-tensile aluminium body
- · For tuning all types & shapes of skis
- Included 2 brake retainers
- Designed to clamp also in the plate or binding





GENERAL CATALOG 2021/22

SKI AND SNOWBOARD

PRODUCTS

SKI VISE PRO "WIDE OPENING"

CODE: SM01110NW max opening 155 mm

- Jaw width 90 mm
- Jaw opening: up to 155 mm
- · High-tensile aluminium body
- For tuning all types & shapes of skis
- Included 2 brake retainers
- · Designed to clamp also in the plate or binding





SKI AND SNOWBOARD

PRODUCTS

SKI VISE CROSS COUNTRY **WORLD CUP**

SM00670N

- High-tensile aluminium body
- · Light and practical for travelling
- For tuning all types & shapes of nordic skis

 DESIGNED TO ALSO IN THE OR BIND



SKI AND SNOWBOARD

SKI VISE XXL

CODE: SM00994

- High-tensile aluminium body
- Jaw width 70 mm
- Jaws opening up to 155 mm



SKI AND SNOWBOARD

SNOWBOARD - FREERIDE SKI VISE

CODE: SM01003N

- High-impact plastic body
- For tuning all types of snowboards and wide skis
- Special rubber to grip the snowboards and wide skis during side and base tuning
- Two side edge positions: standard 90° and easy 60°
- Binding clearance: 160 mm



SKI AND SNOWBOARD

DOUBLE WORKSHOP VISE

CODE: SM01021N


• Professional workshop vise for working on the base, on the bindings and plates, and on the side edge of all kind of skis and snowboard

SKI AND SNOWBOARD

DOUBLE WORKSHOP SUPPORT

CODE: SM01022N

• Professional workshop supports for working on the side edge of all kind of skis and snowboard



EDGE SHARPENERS



EDGE

PRODUCTS

SHARPENERS

RACING SHARP

CODE: SM05006

Side edge: 89°-88°-87°-86° / Base edge:0,5°-1°

- Ergonomic side edge sharpener
- · Easy handling, steady grip, maximum accuracy
- · Best results, minimum effort
- · Right and left hand use
- For ski and snowboard
- Spare file 80 mm SM05104

SHARPENERS

RACING SHARP KIT

CODE: SM05007

- Ergonomic side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- · Right and left hand use
- For ski and snowboard

EDGE

SHARPENERS PRODUCTS

QUICK SHARP 88°-89°

CODE: SM03007

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- · Right and left hand use • For ski and snowboard
- Spare file 40 mm SM05105

EDGE

SHARPENERS PRODUCTS

QUICK SHARP KIT 88°-89°

CODE: SM03009

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- · Easy handling, steady grip, maximum accuracy
- · Best results, minimum effort
- · Right and left hand use
- · For ski and snowboard
- Spare file 40 mm SM05105

EDGE

SHARPENERS PRODUCTS

DIAMOND SHARP 88°-89°

CODE: SM04006N

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- · Best results, minimum effort
- · Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05190




















EDGE SHARPENERS

PRODUCTS





EDGE SHARPENERS

> **SPARE DIAMOND DISC** SM05190



EDGE SHARPENERS

SPARE ZIRCONIUM CODE: SM05140



CODE: SM05120

SPARE BLADE RADIUS 3 mm



SPARE BLADE ROUND CODE: SM05130





EDGE SHARPENERS

SPARE DIAMOND CODE:



EDGE SHARPENERS

SPARE FILE BASTARD

CODE: SM05104 - 80 mm SM05105 - 40 mm



EDGE SHARPENERS

PRODUCTS

PRODUCTS

PRODUCTS

PRODUCTS

PRO SHARP CODE: SM05001 from 90° to 85°

· Professional side edge sharpener

· Easy handling, steady grip, maximum accuracy

• Best results, minimum effort

• Fits any files, stones or diamonds up to 6 mm thick

• Ball bearing system to protect the base

· Right and left hand use

· For ski and snowboard

• Spare file 80 mm included



EDGE

ERGO SHARP

CODE: SM05002 from 90° to 85°

SHARPENERS

• Ergonomic side edge sharpener

• Easy handling, steady grip, maximum accuracy

• Best results, minimum effort

• Fits any files, stones or diamonds up to 6 mm thick

· Right and left hand use

• For ski and snowboard

• Spare file 80 mm included



EDGE SHARPENERS

EDGE

CODE:

SHARPENERS

WORLD CUP

SIDEWALL SHARP

SM05005N

CODE: SM03004

SIDEWALL SHARP

• Ergonomic sidewall planer

• Easy handling, steady grip, maximum accuracy


• Best results, minimum effort

Adjustable blade position and cutting depth

Right and left hand use

• For ski and snowboard











ADJUSTABLE BASE EDGE FILE GUIDE

SPARE BLADE STANDARD

CODE: SM03071 from 0,5° to 1,5°

· Base edge sharpener

• Easy handling, steady grip, maximum accuracy

• Best results, minimum effort

• Fits any files, stones or diamonds up to 6 mm thick

· For ski and snowboard

EDGE SHARPENERS

PRODUCTS

BASE EDGE FILE GUIDE CODE:

SM03051N - 0,5° SM03052N - 0,75° SM03053N - 1°

• Professional base edge sharpener

· Easy handling, steady grip, maximum accuracy

• Best results, minimum effort

• Fits any files, stones or diamonds up to 6 mm thick

· For ski and snowboard



EDGE SHARPENERS

PRODUCTS

RACING GUIDE CODE: SM03030 - 90°

SM03031 - 89° SM03032 - 88° SM03033 - 87° SM03034 - 86°

· Side edge file guide with ergonomic clamp included

• Designed to eject metal filings

· Fits any files, stones or diamonds

• For ski and snowboard



59






EDGE SHARPENERS

RACING GUIDE PLUS CODE:

SM03040 - 90° SM03041 - 89° SM03042 - 88° SM03043 - 87° SM03044 - 86°



• Designed to eject metal filings

• Ball bearing system to protect the base

• Fits any files, stones or diamonds

• For ski and snowboard



EDGE SHARPENERS



PRODUCTS

PRODUCTS

PRODUCTS

EDGE SHARPENERS

ALUMINIUM SQUARE
CODE: SQ0090V - 90°
SQ0089V - 89°
SQ0088V - 88°
SQ0087V - 87°
SQ0086V - 86°
SQ0085V - 85°



EDGE SHARPENERS

SKI FILE CLAMP CODE: MT0803



PLEXI SHARPENERS

PRODUCTS

WORLD CUP PLEXI SHARP CODE: SM0631-220 from 90° to 86°

Electric, lightweight power tool, compact, easy to use, exclusively designed for fast and professional sharpening of all plastic wax scrapers.

Thanks to its innovative and special technical features, plexi scrapers edges can be sharpened with considerably less effort than with conventional manual devices.

- Used for 3, 4, 5 mm plexi wax scraper thick
- Available in 220V for European market
- Dimensions: 150 (L) x 110 (W) x 80 (H) mm
- Weight: 636 gr



EDGE

60

Especially designed for World Cup use, they are supplied with degree certification

SHARPENERS **WORLD CUP INOX SQUARE** SQ0088WC - 88° SQ0087WC - 87° SQ0086WC - 86° SQ0085WC - 85°

EDGE

PRODUCTS **WORLD CUP SIDE WALL CUTTER 70°**



PLEXI SHARPENERS

PLEXI SHARP CODE: SM00630N

• Wax scraper sharpener

• Used for 3, 4, 5 mm plexi wax scraper thick

• 100 mm body file included

• Spare 100 mm body file included





PRODUCTS

PLEXI SHARPENERS

SPARE BODY FILE CODE: SM05101

NORDIC STRUCTURE

NORDIC SHARP


CODE: SM08001 Art. SM08006 included

- Ergonomic structuring tool with interchangeable structure rollers
- · Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- · According to the snow conditions, it will increase the glide of the skis
- · Delivered with a medium diagonal roller









NORDIC STRUCTURE


LINEAR COARSE

CODE: SM08002 for warm and wet conditions LINEAR **MEDIUM**

CODE: SM08003 for universal conditions LINEAR FINE

SM08004 CODE: for cold conditions





NORDIC STRUCTURE

DIAGONAL COARSE

CODE: SM08005 for warm and wet conditions **DIAGONAL MEDIUM**

CODE: SM08006 for universal conditions

DIAGONAL FINE

SM08007 CODE: for cold conditions





NORDIC STRUCTURE

W **COARSE**

CODE: SM08008 for warm and wet conditions

MEDIUM CODE: SM08009 for universal conditions

FINE SM08010 CODE: for cold conditions





HOTBOX 140

CODE: SV00001 DIMENSIONS: 205X198X100 mm WEIGHT: 3 kg VOLTAGE: 220V/50HZ AVAILABLE AT: 110V ABSORPTION: 0.7 Kw OPERATING TEMP.: 110° - 140° C ROLLER WIDTH: 120 mm

HOTBOX 160

CODE: SV00010 DIMENSIONS: 225X198X100 mm WEIGHT: 4 kg VOLTAGE: 220V/50HZ AVAILABLE AT: 110V ABSORPTION: 0.7 Kw OPERATING TEMP.: 110° - 140° C ROLLER WIDTH: 150 mm

HOTBOX 350 CODE: SV00008

GENERAL CATALOG 2021/22

DIMENSIONS: 420X198X100 mm WEIGHT: 6 kg VOLTAGE: 220V/50HZ AVAILABLE AT: 110V ABSORPTION: 1 Kw OPERATING TEMP.: 110° - 140° C

ROLLER WIDTH: 330 mm



HOTBOX ACCESSORIES

PRODUCTS

140 TANK

WITH STANDARD ROLLER CODE: SV00002

140 TANK WITH CROSS COOUNTRY ROLLER

CODE: SV00003 Thin + Thick Layer

160 TANK WITH STANDARD ROLLER CODE: SV00011

350 TANK WITH SILICON ROLLER

CODE: SV00009





HOTBOX

WAXING MACHINE

GRIP WAX DIGITAL HOTBOX CODE: SV00013

DIMENSIONS: 205X198X100 mm WEIGHT: 4 kg VOLTAGE: 220V/50HZ AVAILABLE AT: 110V ABSORPTION: 0.7 Kw OPERATING TEMP.: 50° - 200° C ROLLER WIDTH: 100 mm



HOTBOX ACCESSORIES

GRIP WAX TANK WITH ROLLERS CODE: SV00014



HOTBOX ACCESSORIES

140 TANK WITH SKI WAX SCRAPERS

CODE: SV00004



HOTBOX ACCESSORIES

CODE:

63

HERMETIC BOX WITH FOAM PROTECTION CODE: SV00007 - L55xW42xH30 cm

SV00008 - L68xW52xH37 cm

CODE: SV00006 **160 TANK COVER** CODE: SV00012

HOTBOX

COVER

PRODUCTS

ACCESSORIES

140 TANK

ROTO WAXING & BRUSHING MACHINE

MAPLUS Die BOLLLE

BAG & ACCESSORIES





Professional waxing and brushing machine with one heating plate and replaceable rollers.

DIMENSIONS: 590X160X215 MM WEIGHT: 15 KG VOLTAGE 220V/50HZ ABSORPTION 0.5 KW

ROTO WAXING

MERINO WOOL

ROTO WAXING

BRASS BRUSH

CODE: SV00022 - 16 cm

ACCESSORIES

13 mm

CODE: SV00021 - 14 cm

ACCESSORIES

LEATHER





BAG & **ACCESSORIES RACING BACK PACK** CODE: MB0300

BAG & **ACCESSORIES ALPINE BACK PACK** CODE: MB0310





BAG & **ACCESSORIES TEAM WHEEL BAG** CODE: MB0205 - 70lt







65



ROTO WAXING ACCESSORIES PRODUCTS

ROLLER FOR MERINO WOOL LEATHER CODE: SV00029 - 14 cm



ROTO WAXING ACCESSORIES

SCOTCH BRITE ROLLER CODE: SV00027 - 16 cm

ROTO WAXING

HORSEHAIR BRUSH

CODE: SV00023 - 16 cm

ACCESSORIES

10 mm





ACCESSORIES NYLON BRUSH

ROTO WAXING

10 mm CODE: SV00024 - 16 cm



PRODUCTS

ROTO WAXING ACCESSORIES

NYLON/HORSEHAIR BRUSH 10 mm CODE: SV00026 - 16 cm



MOTOBRUSH ACCESSORIES

WORK BASE HIGH STABILITY WORK BASE WITH DOOR AND SHELVES FOR HOT BOX AND MOTO BRUSH 2 CODE: SV00040

BAG & **ACCESSORIES**

SKITUBE
CODE: MB0400
3 xc ski - 1 alpine ski

ACCESSORIES SKIBAG

BAG &

CODE: MB0405 3 xc ski - 1 alpine ski

BAG & **ACCESSORIES**

WHEEL SKIBAG PRO CODE: MB0410 6 xc ski - 3 alpine ski





ACCESSORIES MERCHANDISING

SYNTHETIC DOWN JACKET MA0322 S-M-L-XL-XXL



ACCESSORIES MERCHANDISING

BUTTON NECK SHIRT

MA0009 - Short sleves MA0019 - Long sleves S-M-L-XL-XXL



ACCESSORIES MERCHANDISING

XC COVER JACKET - UNISEX CODE: MA079005U XS - S - M - L - XL - XXL



ACCESSORIES MERCHANDISING

XC COVER GILET – UNISEX MA079006U XS-S-M-L-XL-XXL



ACCESSORIES MERCHANDISING

SKIMAN APRON COTTON CODE: MA0003J



ACCESSORIES MERCHANDISING

XC RACE JACKET - LADY CODE: MA079001W XS - S - M - L - XL

XC RACE JACKET - MAN CODE: MA079002M S-M-L-XL-XXL



ACCESSORIES

MERCHANDISING

TAPE

CODE:

ADHESIVE PAPER

MA1014M

ACCESSORIES MERCHANDISING

XC COVER PANTS – UNISEX CODE: MA079007U XS-S-M-L-XL-XXL

ACCESSORIES MERCHANDISING

STICKER CODE:

MA1001M - 310 x 50 mm MA1002M - 830 x 140 mm



ACCESSORIES MERCHANDISING

PATCH CODE:

MA1033B - Black MA1033W - White



ACCESSORIES MERCHANDISING

CAP CODE: MC0050M

MERCHANDISING

S-M-L-XL-XXL



ACCESSORIES

XC RACE PANTS - LADY CODE: MA079003W XS - S - M - L - XL

XC RACE PANTS - MAN CODE: MA079004M



MA1004M

ADHESIVE

TAPE

CODE:

NO-ADHESIVE PAPER SKI TAPE CODE: MA1044M






ACCESSORIES MERCHANDISING

PRODUCTS HAT

CODE: MC0005M





BAG & ACCESSORIES



ACCESSORIES MERCHANDISING

THERMO BELT CODE: MA0007



ACCESSORIES MERCHANDISING

DRINK FIT BELT CODE: MB0100



ACCESSORIES MERCHANDISING

MERCHANDISING

SKI HARNESS
CODE: MB0105



ACCESSORIES MERCHANDISING

XC SKI STRAP CODE: MA0025M **ALPINE SKI STRAP** CODE: MA0004M



ACCESSORIES MERCHANDISING

MERCHANDISING

XC RACING CLIP
CODE: MA0005M



ACCESSORIES

MERCHANDISING

MA1150 DISPLAY h 195 cm Standard contents: MA1303 Shelf 4 pcs 15 pcs MA1305 Hook bar MA1306 Hook cm 15 MA1307 Hook cm 10 5 pcs 1 pc 3 pc MA1300 Display base MA1301 Display back panel Maplus Top Sign MA1302 1 pc

MA1160 DISPLAY h 135 cm

Standard co		
MA1303	Shelf	1 pc
MA1305	Hook bar	3 pcs
MA1306	Hook cm 15	10 pc
MA1307	Hook cm 10	5 pcs
MA1300	Display base	1 pc
MA1301	Display back panel	2 pc
MA1302	Maplus Top Sign	1 pc

MA1170 DISPLAY h 75 cm

Standard contents:				
MA1305	Hook bar	2 pcs		
MA1306	Hook cm 15	10 pcs		
MA1300	Display base	1 pc		
MA1301	Display back panel	1 pc		
MA1302	Maplus Top Sign	1 pc		

DISPLAY ACCESSORIES:

MA1300	DISPLAY BASE
MA1301	DISPLAY BACK PANEL
MA1302	MAPLUS TOP SIGN
MA1303	SHELF

MA1304 LOCKED GLASSED SHOWCASE

MA1305 HOOK BAR MA1306 HOOK CM 15 MA1307 HOOK CM 10

ACCESSORIES MERCHANDISING





ACCESSORIES MERCHANDISING

CODE: MA1008MS: 55x250 cm MA1008ML: 65x315 cm

STRESS IT SPRAY RESTORE IT

Wet...mud.. rain.... if you are a sport and outdoor life addicted, you often meet them on your way.

MAPLUS SUPER CARE LINE ensure that the high techs of your textiles and equipment go on longer and longer with you.

And with the **NEW ECO SUPER CARE LINE** totally environmentally oriented - while you care of your stuff, you focus on the biggest heritage we love and we must take care of.





SUPER CARE LINE

GOLF SHOES & GLOVES SUPER CARE SUPER CARE

CODE: MI0015 6 x 250 ml - Display Box **SHOES & GLOVES** CODE: MI0010

CLOTHING **SUPER CARE** CODE: MI0001

TEXTILE SUPER CARE CODE: MI0005 6 x 250 ml - Display Box 6 x 250 ml - Display Box 6 x 250 ml - Display Box

UNIVERSAL **SANITIZING**

CODE: MI0050 - 250 ml Spra CODE: MI0051 - 5 lt - Liquid MI0050 - 250 ml Spray



ECO SUPER CARE LINE

ECO SHOES & GLOVES SUPER CARE CODE: MI0110

500 ml

ECO TEXTILE SUPER CARE MI0105 CODE: 500 ml

ECO CLOTHING SUPER CARE CODE: MI0101 SIZE: 500 ml

SUPER CARE LINE

Maflon s.p.a. is the italian leading company into processing high quality fluorchemical products matching the environmental sustainability.

The R&D department produces constantly new formulations of fluorinated polymers to realize appropriate and durable coating solutions for any kind of surface so to create a highly effective protective barrier against different agents as oils, water, food and

In order to get these results we respect the most advanced rules in term of sustainable development taking the best care of human

Recently we have developed a line of eco-compatible active substances, soluble in water-base, so to obtain more and more environment friendly products maintaining excellent characteristics of hydro and oil repellency.

It guarantees the best impregnation maintaining the original breathability.

• It guarantees the best impregnation maintaining the original breathability.

It guarantees the best impregnation maintaining the original breathability

functional textiles. Extremely versatile.

repellency and anti-stain properties.

Easy and quick to use

and anti-stain properties. Easy and quick to use

Extremely versatile.

Easy and quick to use

and anti-stain properties.

Super waterproofing spray polymer for high technology functional clothing.

• Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic clothing included elastic

• It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro

Super waterproofing spray polymer for high technology fabric of tents, backpacks, bags, gloves, and umbrellas.

Super waterproofing spray polymer for high technology outdoor and mountains shoes and gloves in leather or

Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic functional textiles and leather.

It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency

Special for all natural and synthetic functional textiles and membrane textiles (e.g. GORE-TEX®). Extremely

• It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency

CLOTHING SUPER CARE

CODE: MI0001 6 x 250 ml - Display Box

TEXTILE SUPER CARE

CODE: MI0005 6 x 250 ml - Display Box

SHOES & GLOVES SUPER CARE

CODE: MI0010 6 x 250 ml - Display Box

GOLF SHOES & GLOVES

CODE: MI0015 6 x 250 ml - Display Box

UNIVERSAL

SANITIZING

SUPER CARE

MI0050 - 250 ml Spray

MI0051 - 5 lt - Liquid

 Special for all leather and natural and synthetic functional textiles. Extremely versatile. It guarantees the best impregnation maintaining the original breathability It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency

Super waterproofing spray polymer for high technology golf shoes and gloves in leather or mixed fabrics.

- and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.

• It nourishes the outer material conserving the original flexibility.

Easy and quick to use

Super effective and long-lasting sanitizing for helmets, boots, gloves and shoes. • Extremely versatile for professional and leisure applications.

- It totally neutralizes unpleasant odors leaving a fresh neutral fragrance.
- Environment friendly it works with total absence of corrosive or irritating action.
- The regular use ensures long-lasting freshness
- Easy and quick to use

SUPER CARE LINE ECO





Recently we have developed a line of eco-compatible active substances, soluble in water-base. so to obtain more and more environment friendly products maintaining excellent characteristics of hydro and oil repellency.

Maflon s.p.a. is fully involved in the LCPFCs (Long-chain perfluorinated chemicals) elimination process therefore all our products do not contain PFOA and related compounds.

From this very high level experience the Maplus Care Line was born guaranteeing the best results in term of maintaining the oil and hydro repellency and the anti-stain properties of the functional clothing, technical textiles and all kind of outdoor and mountain shoe's conserving the correct and effective breathability.

ECO CLOTHING SUPER CARE


CODE: MI0101 500 ml

Waterproofing spray polymer for high technology functional clothing

• Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic clothing included elastic functional textiles. Extremely versatile

SUPER CARE

SUPER CARE



NOTE

MAPLUS®

MAFLON S.P.A - MAPLUS DIVISION
MAFLON S.p.A. - Viale Bianca Maria, 41 - 20122 Milano (Mi)
PH. +39 035 4494383 - FAX +39 035 4425443
www.maplus.it - e-mail: info@maplus.it

OFFICIAL SUPPLIER







MAPLUS is a registered trade mark of Maflon S.p.A.

Maflon S.p.A. reserves the right to modify or discountinue any product in every moment at its own discretion or as a result of supervening regulations incompatible with those reported. Every product may not be available in all countries.