

# **MAPLUS**FLUORINE EXPERTS

From the passion for skiing and the mastery of the fluorine chemistry Maplus, a division specialized in ski wax and technical accessories for ski preparation, was born in 1997

Thanks to the synergies with the industrial chemical research of Maflon SPA, a dynamic and innovative company specialized in the production of high-tech fluorinated products, owned by Mazza Holding of Castelli Calepio (Bg), this industrial company, 100% Italian, in just twenty years, braving more long-lived competitors out, has managed to reach a leading position in high-level competitions.

Since its debut in the cross-country World Championship in Ramsau in 1998, with the novelty of a perfluorinated liquid product, up to the successes of the Pyeongchang Olympics in 2017 and Åre 2019, Maplus has become, with its perfluorinated products, the reference in terms of gliding and durability in the ski and snowboard World Cups.

We can declare with satisfaction that today Maplus waxes are used in competition by all the National Teams and by all the ski companies present in the World Cup!

And yet Maplus does not care only of athletes and their results: the experience gained at the highest level has allowed us to develop a complete line of wax ideal to meet the needs of any skier and snowboarder, from the freeride addicted to the beginner who wants an easy to manage equipment, up to the needs of the professional laboratories for the rentals.




# NEW ECO-FLUORWAX\*

Respect for norms and the health of human beings and environmental have always been, and will continue to be, our priorities. In order to get our results in research and development of fluorinated products, we respect the most advanced rules in term of sustainable development.

We have nevertheless invested the maximum of our energy and our efforts in finding new solutions and new products.

Now we are able to guarantee, in light of the new regulations, the utmost respect for anti-pollution and environmental protection standards together with the high standards skiwaxes to which our customers have been accustomed to for years.













XLS EXTRA LONG LASTING SPEED **XLS 4.0** CODE: MW0894N 50 ml

SNOW TEMP: 0°/-6° C HUMIDITY: 50 / 100%

Liquid accelerator for competition. Use with any type of artificial snow and natural snow from new moist to old transformed, icy and wet with temperatures from 0 ° to -6 °C and relative air humidity over 50%.

**XLS 6.0** CODE: SIZE:

SNOW TEMP: - 6°/ - 12° C HUMIDITY: 50 / 100%

- 22°/ - 8° C 30 / 70%

160 °C ⊆

Liquid accelerator for competition. Use with any type of artificial snow and natural snow from powder to transformed compact and icy with temperatures from -6° to -12°C and relative air humidity over 50%.

XLS

PERFLUORINATED POWDER WAX

EXTRA LONG LASTING SPEED

FP4 COLD CODE: MW0840N 30 gr

SNOW TEMP: HUMIDITY: APPLICATION:

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Recommended hot application with waxing iron at 160°C.



PERFLUORINATED POWDER WAX

**FP4 SUPERMED** MW0843N

30 gr

SNOW TEMP: - 16°/ - 2° C HUMIDITY: 40 / 80% APPLICATION: 160 °C ≤

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Recommended hot application with waxing iron at 160°C.

SIZE:



PERFLUORINATED POWDER WAX

**FP4 MED** SIZE : 30 gr

**HUMIDITY**:

SNOW TEMP: - 9°/ - 2° C 60 / 100% APPLICATION: 160 °C ⊆

- 3°/ 0° C

60 / 100%

160°C ≤

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Recommended hot application with waxing iron at 160°C.



PERFLUORINATED POWDER WAX

FP4 HOT SIZE:

SNOW TEMP: HUMIDITY: APPLICATION:

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Recommended hot application with waxing iron at 160°C.



FP4 PERFLUORINATED LIQUID WAX

CODE: SIZE:

FP4 COLD MW0850N 50 ml

SNOW TEMP: - 22°/ - 8° C HUMIDITY: 30 / 70%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.



PERFLUORINATED LIQUID WAX



SNOW TEMP: - 16°/ - 2° C HUMIDITY: 40 / 80%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.



PERFLUORINATED LIQUID WAX

FP4 MED CODE: MW0851N SIZE:

- 9°/ - 2° C SNOW TEMP: **HUMIDITY**: 60 / 100%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from  $-9^{\circ}\text{C}$ to -2°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.



PERFLUORINATED LIQUID WAX

PRODUCTS FP4 HOT MW0852N CODE: SIZE: 50 ml

SNOW TEMP: HUMIDITY:

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.





PERFLUORINATED SOLID WAX

FP4 COLD MW0860N

20 gr

FP4 SUPERMED

- 22°/ - 8° C 30 / 70%

- 16°/ - 2° C

- 9°/ - 2° C

60 / 100%

40 / 80%

SNOW TEMP

HUMIDITY:

SNOW TEMP:

**HUMIDITY**:

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers.

PERFLUORINATED SOLID WAX

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool

PRODUCTS

PERFLUORINATED SOLID WAX

MW0861N SNOW TEMP: 20 gr **HUMIDITY**:

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers.



PERFLUORINATED SOLID WAX

FP4 HOT MW0862N

FP4 MED

SNOW TEMP: - 3°/ 0° C **HUMIDITY**: 60 / 100%

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers.



**FLASH FLUORINATED** LIQUID POLYMER HIGH SPEED ACCELERATOR

YELLOW FLASH MW0662N

SNOW TEMP: -3°/0°C HUMIDITY: 60 / 100%

Fluorinated liquid polymer for racing. Use for wet, water-ice and icy snow from -3° to 0°C with completely transformed snow crystal with medium and big grain. It works great from hard coarse snow to wet snow and in all intermediate conditions while step by step the sun melts the snow. The Yellow Flash is also the best in raining conditions but only if it's raining over completely transformed snow as above mentioned. If it's snowing with new big moist and wet flakes together with raining on new moist and polish snow, Yellow Flash does not work. It needs at least one day of snow transformation then it works greatly. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder waxes or on fluorinated paraffins. Recommended cold application with the felt cap-applicator.





HIGH FLUORINATED PARAFFIN

SIZE: 50 gr High fluoro powder paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for snow from -30°C to -10°C. Air humidity from 50% to 90%. This paraffin can be used alone as above mentioned or as an hardener for the high

CODE:

fluorinated paraffins HP3 VIOLET and HP3 RED in case of abrasive new or conserved snow or mixed with artificial snow. Use hot application with the waxing iron at 160°C.

**PRODUCTS** 

**HP3 GREEN POWDER** 



HIGH FLUORINATED PARAFFIN

**HP3 BLUE MOLY COLD ADDITIVE** 

MW0901MN - 50 g CODE: MW0911MN - 250 gr MW0921MN - 1 ka

High fluoro solid paraffin with moly for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for old abrasive dry snow with temperature from -25°C to -10°C. Air humidity from 50% to 90%. Excellent during a long period without snow falling and with dirty snow.

SNOW TEMP:

APPLICATION:

HUMIDITY:

SNOW TEMP:

APPLICATION:

**HUMIDITY**:

- 30°/ - 10° C

- 25°/ - 10° C

150° / 160 °C ⊆

50 / 90%

50 / 90%

160 °C ⊆





artificial. Use hot application with the waxing iron at 150°/160°C.

HIGH FLUORINATED PARAFFIN

**HP3 VIOLET** 

MW0902N - 50 ar CODE: MW0912N - 250 ar MW0922N - 1 kg

SNOW TEMP: - 12°/ - 6° C **HUMIDITY**: 60 / 100%

APPLICATION: 140° / 150 °C 🗁

SNOW TEMP:

APPLICATION:

**HUMIDITY**:

-7°/-3°C

130° / 140 °C ≤

60 / 100%

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -12°C to -6°C. Air humidity from 60% to 100%. In case of new or conserved abrasive snow and artificial snow, mix HP3 VIOLET with HP3 GREEN or LP2 GREEN if the humidity is lower. Use hot application with the waxing iron at 140°/150°C.

This paraffin can be also used as a moly hardener for HP3 VIOLET and HP3 RED in case of old, abrasive, windy and dirty snow, both natural and



HIGH FLUORINATED PARAFFIN

**HP3 RED** 

MW0903N - 50 gr CODE: MW0913N - 250 ar MW0923N - 1 ka

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with tempe-

rature from -7°C to -3°C. Air humidity from 60% to 100%. In case of new or conserved abrasive snow, artificial snow and springtime icy snow, mix HP3 RED with HP3 GREEN or LP2 GREEN if the humidity is lower. Use hot application with the waxing iron at 130°/140°C.







### HIGH FI LIORINATED PARAFFIN

#### **HP3 YELLOW 1**

SNOW TEMP: - 4°/ 0° C **HUMIDITY**: 60 / 100% APPLICATION: 110° / 120 °C 🗁

MW0904N - 50 gr MW0914N - 250 gr MW0924N - 1 kg

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for new moist not wet snow with temperature from -4°C to 0°C. Air humidity from 60% to 100%. Is the only choice with polish and sticky snow. Use hot application with the waxing iron at 110°/120°C.





### HIGH FLUORINATED PARAFFIN

#### **HP3 YELLOW 2**

SNOW TEMP: -5°/-1° C **HUMIDITY**: 60 / 100% APPLICATION: 120° / 130 °C ⊆

MW0905N - 50 gr MW0915N - 250 gr MW0925N - 1 kg

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for transformed snow, not wet and springtime icy, with temperature from -5°C to -1°C. Air humidity from 60% to 100%. Use hot application with the waxing iron at 120°/130°C.





HIGH FLUORINATED PARAFFIN

#### **HP3 ORANGE 1**

SNOW TEMP: - 4°/ 0° C HUMIDITY: 60 / 100% APPLICATION: 120° / 130 °C ≤

MW0916N - 250 ar MW0926N - 1 kg

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for springtime icy and grainy snow, but little wet, with temperature from -4°C to 0°C. Air humidity from 60% to 100%. Use hot application with the waxing iron at 120°/130°C.





HIGH FLUORINATED PARAFFIN

#### **HP3 ORANGE 2**

SNOW TEMP: - 3°/ 0° C **HUMIDITY**: 60 / 100% APPLICATION: 100°/110°C ⊆

SNOW TEMP:

APPLICATION:

**HUMIDITY**:

-3°/0°C

60 / 100%

100°/110°C ⊆

MW0907N - 50 gr MW0917N - 250 ar MW0927N - 1 kg

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for clean wet snow, with temperature from -3°C to 0°C. and rainy conditions. Air humidity from 60% to 100%. Use hot application with the waxing iron at 100°/110°C.





PRODUCTS

HIGH FLUORINATED PARAFFIN

#### **HP3 ORANGE 2 MOLY** HOT ADDITIVE

MW0907MN - 50 gr MW0917MN - 250 gr

MW0927MN - 1 kg

High fluoro solid paraffin with moly for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for wet snow and dirty snow from -3°C to 0°C. and rainy conditions. Air humidity from 60% to 100%. This paraffin can be used as a moly additive for HP3 RED, YELLOW 2, and ORANGE 1 in case of old dirty snow, both natural and artificial. Use hot application with the waxing iron at 100°/110°C.





# **LP2 GREEN POWDER**

CODE: SIZE : MW0950N 100 gr

PRODUCTS

SNOW TEMP: - 30°/ - 10° C **HUMIDITY**: 20 / 60% 160 °C ₪ APPLICATION:

Fluorinated powder paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for fine-abrasive snow from -30°C to -10°C. Air humidity from 20% to 60%. This paraffin can be also used as an hardener for paraffins LP2 VIOLET and LP2 RED or HP3 VIOLET and HP3 RED in case of new or conserved abrasive snow and mixed with artificial snow. Use hot application with the waxing iron at 160°C.





MEDIUM FLUORINATED PARAFFIN

#### LP2 MEDIUM FLUORINATED PARAFFIN

#### LP2 BLUE

SNOW TEMP: - 25°/ - 10° C **HUMIDITY**: 20 / 60% APPLICATION: 150° / 160 °C ⊆

MW0951N - 100 ar MW0961N - 250 gr MW0971N - 1 kg

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for old transformed snow, with temperature from -25°C to -10°C. Air humidity from 20% to 60%. Excellent during a long period without snow falling. Use hot application with the waxing iron at 150°/160°C





GREEN. Use hot application with the waxing iron at 140°/150°C.

### MEDIUM FLUORINATED PARAFFIN

#### LP2 VIOLET

**PRODUCTS** 

MW0952N - 100 gr MW0962N - 250 gr MW0972N - 1 kg

SNOW TEMP: - 12°/ - 6° C HUMIDITY: APPLICATION: 20 / 60% 140° / 150 °C 🗁

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -12°C to -6°C. Air humidity from 20% to 60%. In case of new or conserved abrasive snow and artificial snow, mix LP2 VIOLET with LP2





# MEDIUM FLUORINATED PARAFFIN **PRODUCTS**

### LP2 RED

SNOW TEMP: **HUMIDITY**: 30 / 60% APPLICATION: 130° / 140 °C ⊆

MW0953N - 100 gr MW0963N - 250 gr MW0973N - 1 kg

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -7°C to -3°C. Air humidity from 30% to 60%. In case of new or conserved abrasive snow, artificial snow and springtime icy snow, mix LP2 RED with LP2 GREEN. Use hot application with the waxing iron at 130°/140°C.









LP2 YELLOW

MW0954N - 100 gr MW0964N - 250 gr SNOW TEMP: -5°/ -1° C 30 / 60% **HUMIDITY**: APPLICATION: 110°/120°C 5

CODE: MW0974N - 1 kg

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow, not wet, with temperature from -5°C to -1°C. Air humidity from 30% to 60%. Use hot application with the waxing iron at 110°/120°C.





### MEDIUM FLUORINATED PARAFFIN

LP2 ORANGE

MW0955N - 100 gr MW0965N - 250 gr MW0975N - 1 kg

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of wet snow with temperature from -4°C to 0°C and rainy conditions. Air humidity from 30% to 60%. Use hot application with the waxing iron at 100°/110°C.

**PRODUCTS** 

### **CLEANER** LINE







### **CLEANER**

**PRODUCTS** 

### **FLUORCLEAN**

MW0750N - 150 ml -SPRAY MW0751N - 0,5 lt - LIQUID CODE: MW0752N - 1 It - LIQUID CODE:

Liquid cleaner to remove residuals of any type of perfluorinated wax and the dirt collected during activity.

SNOW TEMP:

APPLICATION:

HUMIDITY:

- 4°/ 0° C

100°/110°C ≤

30 / 60%



### **CLEAN**

CODE: MW0755 - 150 ml - SPRAY CODE MW0756 - 0,5 lt - LIQUID MW0757 - 1 It - LIQUID MW0758 - 4,9 lt - LIQUID

Liquid cleaner to remove residuals of any type of paraffin (fluorinated paraffin included) and the dirt collected during activity.









RACING **BASE PARAFFIN** 

### **ARCTIC BASE**

- 30°/ - 10° C SNOW TEMP: APPLICATION: 160 °C 万

MW1000 - POWDER - 100 gr MW0810 - 250 gr

MW0820 - 1 kg

Powder and solid paraffin for training use and racing. Use for new, fine, abrasive snow with temperature from -30°C to -10°C. In case of very abrasive old icy snow (spring snow and glacier snow), this paraffin can be used over the fluorocarbon waxes FP4 to increase their long lasting. The final result will be a lower hydrophobia. It can also be used as universal hardener to protect the polyethylene base along the steel edges foils in case of natural or artificial very abrasive snow. Use hot application with the waxing iron at 160°C.

**PRODUCTS** 



RACING **BASE PARAFFIN MED BASE** SNOW TEMP: - 10°/ - 5° C APPLICATION: 130° / 140 °C ≤

CODE: MW0870 - 250 gr MW0875 - 1 kg

MW0876 - 1 kg

Solid base paraffin for any type of snow with temperature from -10°C to -5°C. It's an excellent product for the protection of racing ski bases and it can be used as universal training and testing base. Use hot application with the waxing iron at 130°/140°C.



RACING **BASE PARAFFIN SOFT BASE** SNOW TEMP: -5°/0°C APPLICATION: 120° / 130 °C ≤ MW0871 - 250 gr

Solid base paraffin for any type of snow with temperature from -5°C to 0°C. It's an excellent product for the saturation and the protection of racing ski bases and it can be used as universal training and testing base. It has a melting point of 60°C so it's the best product for the hot saturation of polyethylene ski bases with the thermo-box or the thermo-cover. Use hot application with the waxing iron at 120°/130°C.

**RACING** 



**BASE PARAFFIN XSOFT BASE** - 2°/ 0° C SNOW TEMP: APPLICATION: 110° / 120 °C 5 MW0873 - 250 gr MW0878 - 1 kg

Solid base paraffin for any type of snow with temperature from -2°C to 0°C. It's an excellent product for the saturation and the protection of racing ski bases. It has a melting point of 48°C so it's a very good product for the hot saturation of polyethylene ski bases with the thermo-box or the thermo-cover. Use hot application with the waxing iron at 110°/120°C.

\*In compliance with Regulation (EU) 2017-1000 14













**LP15** LOW FLUORINATED PARAFFIN

LP15 VIOLET

MW0400N - 100 gr CODE: MW0410N - 250 gr MW0420N - 1 kg

AIR TEMP:

**HUMIDITY**:

- 19°/ - 9° C > 50 % APPLICATION: 



**BP10** HYDRO CARBON PARAFFIN

**BP10 VIOLET** 

MW0300 - 100 ar MW0310 - 250 gr MW0320 - 1 kg

AIR TEMP: HUMIDITY: - 19°/ - 9° C < 50 % APPLICATION: 140° / 150 °C ⊆

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, with temperature from -19°C to -9°C. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 140°/150°C.

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -19°C to -9°C. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 140°/150°C.

PRODUCTS







**LP15** LOW FLUORINATED PARAFFIN

LP15 RED

MW0401N - 100 gr MW0411N - 250 gr MW0421N - 1 kg

- 9°/ - 3° C AIR TFMP: > 50 % **HUMIDITY**: APPLICATION:





MAPLUS

**BP10** HYDRO CARBON PARAFFIN PRODUCTS

**BP10 RED** 

MW0301 - 100 ar CODE: MW0311 - 250 gr MW0321 - 1 kg

AIR TFMP: - 9°/ - 3° C **HUMIDITY**: < 50 % APPLICATION: 130° / 140 °C ≤

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -9°C to -3°C. It's an excellent product for the protection of ski bases and it can be used as universal racing and training base. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 130°/140°C.

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -9°C to -3°C. It's an excellent product for the protection of ski bases and it can be used as universal racing and training base. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 130°/140°C.





LOW FLUORINATED PARAFFIN

LP15 YELLOW

MW0402N - 100 gr MW0412N - 250 gr MW0422N - 1 kg

-3°/+9°C >50 % AIR TEMP: HUMIDITY: APPLICATION:



PRODUCTS

**BP10** HYDRO CARBON PARAFFIN

**BP10 YELLOW** 

MW0302 - 100 gr MW0312 - 250 gr MW0322 - 1 kg

AIR TEMP: - 3°/ + 9° C HUMIDITY: < 50 % APPLICATION: 120° / 130 °C ⊆

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -3°C to +9°C. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 120°/130°C.

PRODUCTS

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -3°C to +9°C. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 120°/130°C.

\*In compliance with Regulation (EU) 2017-1000 18 19



PRODUCTS

SNOW TEMP: HUMIDITY:





#### LIQUID SKIWAX HIGH FLUORINATED PARAFFIN

HP3 COLD		HP3 MED		HP3 HOT	
CODE:	MW0930N - 75 ml	CODE:	MW0931N - 75 ml	CODE:	MW0932N - 75 ml
CODE:	MW0940N - 0,5 lt		MW0941N - 0,5 lt	CODE:	MW0942N - 0,5 lt

High fluorinated liquid paraffin for racing use as final product or as a base before applying fluorocarbon

- 9°/ - 2° C

60/100%

SNOW TFMP:

**HUMIDITY**:

- 3°/ 0° C

60/100%

HP3 COLD	Use for any type of snow from -22°C to -8°C. Air humidity from 60% to 100%.
HP3 MED	Use for any type of snow from -9°C to -2°C. Air humidity from 60% to 100%
HP3 HOT	Use for any type of snow from -3°C to 0°C. Air humidity from 60% to 100%.

SNOW TEMP:

HUMIDITY:

Use cold application with manual cork and manual brush.

- 22°/ - 8° C

60/100%





#### LIQUID SKIWAX FLUORINATED PARAFFIN


200	LP2	COLD	LP2 MED		LP2 HOT			
	CODE: CODE: CODE:	MW0980N - 75 ml MW0983N - 150 ml MW0986N - 0,5 lt		MW098	11N - 75 ml 14N - 150 ml 17N - 0,5 lt	CODE: CODE: CODE:	MW09	182N - 75 ml 185N - 150 ml 188N - 0,5 lt
JOL	SNOW T	EMP: - 22°/ - 8° C ГY: 30/60%	SNOW TI		- 9°/ - 2° C	SNOW T		- 3°/ - 0° C

Fluorinated liquid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4.

LP2 COLD	Use for any type of snow from -22°C to -8°C. Air humidity from 30% to 60%.
LP2 MED	Use for any type of snow from -9°C to -2°C. Air humidity from 30% to 60%.
LP2 HOT	Use for any type of snow from -3°C to 0°C. Air humidity from 30% to 60%.

Use cold application with manual cork and manual brush.





Liquid paraffin for training use and leisure.

BP1 COLD	Use for any type of snow from -22°C to -8°C. Racing use with air humidity < 40%.
BP1 MED	Use for any type of snow from -9°C to -2°C. Racing use with air humidity < 40%.
	It can be used as universal training product.
BP1 HOT	Use for any type of snow from -3°C to 0°C. Racing use with air humidity < 40%.

Use cold application with manual cork and manual brush.



LIQUID SKIWAX **GLIDING LIQUID KIT** 

#### **BP1 KIT 3 x 75 ml** CODE: MW0839

Liquid paraffin for training use and leisure.

Use for any type of snow from -22°C to -8°C. Racing use with air humidity < 40%... Use for any type of snow from -9°C to -2°C. Racing use with air humidity < 40%. BP1 MED

It can be used as universal training product.

BP1 H0T Use for any type of snow from -3°C to 0°C. Racing use with air humidity < 40%.

Use cold application with manual cork and manual brush.



#### **BP1 COLD KIT** CODE: MW0201

SNOW TEMP: - 22°/ - 8° C HUMIDITY: < 40%

• Kit with MT0111 (cork/nylon brush)



#### **BP1 MED KIT** CODE: MW0202

SNOW TEMP: - 9°/ - 2° C HUMIDITY: < 40%

 Kit with MT0111 (cork/nylon brush)



#### **BP1 HOT KIT** CODE: MW0203

SNOW TEMP: - 3°/ 0° C **HUMIDITY**: < 40%

• Kit with MT0111 (cork/nylon brush)



## **UNIVERSAL FLUORO**

• Kit with MT0111 (cork/nylon brush)



Kit with:

MW0830 (BP1 Cold 75 ml) Snow Temp. -22°C to -8°C. Air humidity < 40%. MW0831 (BP1 Med 75 ml) Snow Temp. - 9°C to -2°C. Air humidity < 40%. MW0832 (BP1 Hot 75 ml) Snow Temp. - 3°C to 0°C. Air humidity < 40%.

MW0755 (Clean 150 ml) MT0900 (Fiberlene tape) MT0111 (cork/nylon brush)

High quality universal liquid paraffin for training, sporting use and leisure. Thanks to the different wax versions included in this kit, it can be used for all type of snow. The product has a felt cap applicator to allow a quick waxing "last minute" operation with great gliding and long lasting, on ski sole and even on skin skis. Otherwise the useful cork/nylon brush let allows to have a professional gliding result.







UNIVERSAL FLUORO SUPER GLIDE WAX

#### **DISPLAY BOX LIQUID**

CODE: MW0718N SIZE: 12 pz x 75 ml

SNOW TEMP: - 15°/ 0° C

High quality universal liquid paraffin for sporting use and leisure. Use for all type of snow. The product has a felt cap applicator to allow a quick waxing "last minute" operation with great gliding and long lasting.



#### UNIVERSAL FLUORO SUPER GLIDE WAX

#### **DISPLAY BOX CREAM**

CODE: MW0724N SIZE: 12 pz x 75 ml

PRODUCTS

PRODUCTS

SNOW TEMP: - 15°/ 0° C

High quality universal low fluoro glide wax. Ideal for sporting and leisure in all conditions. Quick application with the sponge-cap included by rubbing and pressing. Then for best results polish the base with a horsehair or nylon brush.



UNIVERSAL FLUORO

SUPER GLIDE WAX

CREAM

CODE: MW0722N SIZE: 250 ml

SNOW TEMP: - 15°/ 0° C

High quality universal low fluoro glide wax. Ideal for sporting and leisure in all conditions. Quick application with the sponge included by rubbing and pressing. Then for best results polish the base with a horsehair or nylon brush.





#### UNIVERSAL FLUORO SUPER GLIDE WAX

SOLID

CODE: MW0728N SIZE: 100 gr

SNOW TEMP: -15°/0° C
APPLICATION: 130°/140 °C □

Universal all temperature high quality paraffin glide wax for sporting and leisure in all conditions. Use hot application with the waxing iron at 130°/140°C. Also ideal for rub-on and go application!

\*In compliance with Regulation (EU) 2017-1000



## UNIVERSAL LINE



- 5°/ 0° C



UNIVERSAL SOLID
UNIVERSAL WAX LINE

or with professional waxing machines.

RED

CODE: MW0700 - 100 gr CODE: MW0702 - 1 kg

SNOW TEMP: APPLICATION:

Universal solid paraffin for sporting use and leisure. Use for all type of snow, not moist and wet, with temperature from -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 130°/140°C



#### UNIVERSAL BACKSHOP GRANULAR AND SOLID WAX

#### COLD

CODE: MW0709 - 1 Kg CODE: MW0710 - 5 kg CODE: MW0712 - 20 kg

SNOW TEMP: - 15°/ -5° C

Universal solid and granular paraffin for all type of winter snow, not moist and wet, from temperature -15°C to -5°C.It's a product especially suitable for rentals and laboratories. Use hot application with professional waxing machines.

#### UNIVERSAL BACKSHOP GRANULAR AND SOLID WAX

#### HOT

CODE: MW0714 - 1 Kg CODE: MW0711 - 5 kg CODE: MW0713 - 20 kg

SNOW TEMP:

Universal solid and granular paraffin for all type of moist and wet snow from temperature -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with professional waxing machines.



UNIVERSAL SOLID
UNIVERSAL WAX LINE

YELLOW

CODE: MW0701 - 100 gr CODE: MW0703 - 1 kg

SNOW TEMP:
APPLICATION:

-5°/ 0° C 110°/120°C ⊆

Universal solid paraffin for sporting use and leisure. Use for all type of moist and wet snow, with temperature from -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 110°/120°C or with professional waxing machines.





UNIVERSAL SOLID FLUORINATED UNIVERSAL WAX LINE **RED FLUORO** 

PRODUCTS

**PRODUCTS** 

CODE: MW0705N - 100 gr CODE: MW0707N - 1 kg

SNOW TEMP: APPLICATION: - 15°/ - 5° C 130° / 140 °C 屆

Universal fluorinated solid paraffin for sporting use and leisure. Use for all type of snow, not moist and wet, with temperature from -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 130°/140°C or with professional waxing machines.



MAPLUS
UNIVERSAL FLUORO
YELLOW
UN

UNIVERSAL SOLID FLUORINATED UNIVERSAL WAX LINE YELLOW FLUORO

CODE: MW0706N - 100 gr CODE: MW0708N - 1 ka

SNOW TEMP: APPLICATION:

-5°/ 0° C 110°/120°C ⊆

Universal fluorinated solid paraffin for sporting use and leisure. Use for all type of moist and wet snow, with temperature from -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 110°/120°C or with professional waxing machines.



UNIVERSAL LIQUID

UNIVERSAL LIQUID UNIVERSAL WAX LINE CODE: MW0715 - 1 lt CODE: MW0716 - 4.9 lt

Universal liquid paraffin for sporting use and leisure. Use for all type of snow. It's a product especially suitable for rentals and laboratories. Use cold application with brush and manual cork.



ANTI ICE
UNIVERSAL WAX LINE

ANTI ICE
CODE: MW0732
SIZE: 150 ml

Special silicone spray made to prevent the grip waxes from freezing or to avoid ice formation on the kick zone of no-wax ski. It's also useful to avoid ice formation on the serigraphy and the side of any type of ski. Cold application.

\*In compliance with Regulation (EU) 2017-1000







**UNIVERSAL TOUR TOURING SKIN & BASE WAX** 

#### **DISPLAY BOX LIQUID**

CODE: MW0747 SIZE: 12 pz x 75 ml

SNOW TEMP:

- 15°/ 0° C

High quality universal liquid paraffin for sporting use on ski-alp skins and ski bases with every kind of snow. The product has a felt cap applicator that allows quick cold "last minute" waxing with great gliding and long lasting.



**UNIVERSAL TOUR** RACING SKIN WAX

PRODUCTS

PRODUCTS

#### **BLUE BOOST RUB-ON**

CODE: MW0748N SIZE: 20 gr SNOW TEMP: APPLICATION: 

Fluorocarbon special solid mix for waxing ski-alp racing skins. Use for every cold snow from -20°C to -5°C. Recommended cold application by rubbing over the skin. To obtain even higher durability some quick passages with waxing iron at 150° C can be made (exclusively on pure mohair skins).



**UNIVERSAL TOUR** RACING SKIN WAX

### **RED BOOST RUB-ON**

CODE: MW0749N

SNOW TEMP: APPLICATION: -5°/0°C SIZE: 20 gr 

Fluorocarbon special solid mix for waxing ski-alp racing skins. Use for every warm and wet snow from -5°C to 0°C. Recommended cold application by rubbing over the skin. To obtain even higher durability some quick passages with waxing iron at 150° C can be made (exclusively on pure mohair



**UNIVERSAL TOUR TOURING SKIN & BASE WAX** 

### **UNIVERSAL SKIN SPRAY**

MW0745

CODE: MW074 SIZE: 250 ml SNOW TEMP: - 15°/ 0° C

Universal spray polymer for skin protection from icing and dirt, improving gliding properties. For all snow conditions.



### **GRIP WAX LINE**





**GRIPWAX** BASE **ORANGE S10** 

CODE: MW0S10 SIZE: 45 ar

ALL AIR TEMP - STICKBASE

Stick base to be used always as first layer of solid waxes with fine falling snow and new aggressive snow little transformed or mixed with artificial snow. It works with every air temperature.



**GRIPWAX GREEN S11** CODE: SIZE: MW0S11 45 gr

- 16°/ - 8° C 😽 AIR TEMP:

Stick wax to be used with fine falling snow and new aggressive snow little transformed or mixed with artificial snow. It works with air temperature from -16°C to -8°C.



**GRIPWAX DARK BLUE \$12** CODE: MW0S12 SIZE: 45 gr

AIR TEMP:

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -10° C to

- 10°/ - 6° C



**GRIPWAX PRODUCTS LIGHT BLUE S13** CODE: SIZE: MW0S13 45 ar

AIR TEMP: - 5°/ - 3° C

> Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -5° C to -3°C.



**GRIPWAX DARK VIOLET S14** MW0S14

CODE: SIZE: 45 ar

AIR TEMP: - 3°/ - 1° C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -3° C to -1°C.



**GRIPWAX** 

**LIGHT VIOLET S15** MW0S15 CODE:

SIZE: 45 ar

AIR TEMP:  $-2^{\circ}/+1^{\circ}$  C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -2° C to +1°C.



**GRIPWAX** 

PRODUCTS **RED S16** CODE: MW0S16 SIZE: 45 ar

USE AIR TEMP  $0^{\circ}/ + 4^{\circ} C$ 

> Stick wax to be used with falling snow and new snow or mixed with artificial snow. It works with air temperature from 0° C to +4°C.



**GRIPWAX** BASE **GREEN K10** MW0K10 CODE: SIZE: 60 gr

AIR TEMP: - 7°/ - 1° C

Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -7°C to -1°C. Moreover it must always be used as first layer (base klister) for all klister wax with any temperature.



**GRIPWAX BLUE K11** MW0K11 CODE: SIZE:

60 gr

AIR TEMP:

PRODUCTS

JSE

-4°/0°C \(\frac{1}{2}\)

Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -4°C to 0°C.



**GRIPWAX** VIOLET K12 CODE: MWOK12 SIZE:

AIR TEMP:

60 gr

- 3°/ + 3° C S Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air

temperature from -3°C to +3°C.



**GRIPWAX RED K13** CODE: MW0K13 60 gr SIZE:

> AIR TEMP: - 1°/ + 4° C Klister to be used with

transformed snow with big crystals and with icy coarse and wet snow or mixed with artificial snow. It works with air temperature from -1°C to +4°C.



**GRIPWAX** BASE **SILVER K14** CODE: MW0K14 SIZE: 60 gr

AIR TEMP:  $0^{\circ}/ + 5^{\circ} C$ Silver Klister to be used with

transformed snow or mixed with artificial snow with big and medium crystals. It works with air temperature from 0°. to +5°C. Very good to reduce friction and speed up sliding on very abrasive snow.



**GRIPWAX UNIVERSAL K15** CODE: MW0K15 SIZE: 60 gr

PRODUCTS

AIR TEMP:  $-5^{\circ}/+5^{\circ}$  C

Universal Klister to be used with transformed snow or mixed with artificial snow with big crystals transforming from wet to icy. It works with air temperature from -5 °C to +5°C and it avoids ice formation.



PRODUCTS **GRIPWAX KIT** MW0SK050 CODE:

1pc: 1pc: MW0S13 MW0S14 1pc: MW0S15 1pc: MW0K15

1pc: MT0113 MT0510









TOOLS
AND ACCESSORIES
MAPLUSTEX FINE

CODE: MT0090RS LENGHT: 10 cm - DIAMETER 11 cm

Thanks to its abrasive microlamine, it allows to speed up ski sole in really short time – just three passages are recommended – after new structuring with grinding machine. It also rejuvenates ski sole from opacity due to very abrasive or icy snow or after using an overtemperatured waxing iron.



TOOLS
AND ACCESSORIES
MAPLUSTEX EXTRA FINE

CODE: MT0095RS

LENGHT: 10 cm - DIAMETER 11 cm


Thanks to its special fibres, it is recommended for removing microhairs from nordic skis after new structuring or grinding up. It also gives the final touch to the skis speeding up done with MaplusTex Fine: three passages after using MaplusTex Fine guarantee the best final results. Specially indicated for removing residues of a very hard solid wax, as Maplus Artic Base solid.

#### **HOW TO USE TIPS**

- -having a larger diameter than normal rotating brushes, they must be used with minimum pressure at a maximum drill speed of 700/800 revolutions per minute (rpm):
- -it is preferable to use them before preparing the edges, in order to avoid rounding off the cusps;
- -after using MaplusTex rollers it is recommended to thoroughly clean the base with a specific liquid cleaner, as Maplus Clean, so to remove any residues.

### **MANUAL BRUSHES**





**PRODUCTS** 

**MANUAL BRUSH** 

HARD HORSEHAIR CODE: MT0101

**SOFT HORSEHAIR** 

MT0104

To be used for deep brushing of any type of paraffin and perfluorinated wax.

To be used for fine brushing of any type of paraffin and perfluorinated wax.



**MANUAL BRUSH** 


HARD HORSEHAIR CODE: MT0121

**SOFT HORSEHAIR** CODE: MT0124

To be used for deep brushing of any type of paraffin and perfluorinated wax.

To be used for fine brushing of any type of paraffin and perfluorinated wax.

To be used with front and back movements for



MANUAL **PRODUCTS** 

BRUSH

CODE:

HARD NYLON CODE: MT0105

**SOFT NYLON** CODE: MT0102

To be used with front and back movements for surface brushing and polishing of any type of paraffin and perfluorinated wax.


To be used for deep polishing of any type of paraffin and perfluorinated wax.



**MANUAL BRUSH** 

HARD NYLON CODE: MT0125

surface brushing and polishing of any type of paraffin and perfluorinated wax. To be used for deep polishing of any type of paraffin SOFT NYLON and perfluorinated wax. CODE: MT0122



MANUAL **BRUSH** 

HARD BRASS CODE: MT0106


To be used for first brushing of any type of soft and med paraffin.



**MANUAL BRUSH** 

PRODUCTS HARD BRASS CODE:

To be used for first brushing of any type of soft and med paraffin.



**MANUAL BRUSH** 

**SOFT BRASS** MT0103 CODE:


To be used for smooth brushing of any type of soft and med paraffin and during the polyethylene-base cleaning operations.



**MANUAL BRUSH** 

> **SOFT BRASS** CODE: MT0123

To be used for smooth brushing of any type of soft and med paraffin and during the polyethylene-base cleaning operations.



**PRODUCTS** 

**SOFT STEEL** CODE: MT0107

MANUAL

**BRUSH** 

To be used for smooth brushing of any type of hard paraffin and during the polyethylene-base cleaning operations.



**MANUAL BRUSH** 

> **HARD STEEL** CODE: MT0128

Angled wire **SOFT STEEL** CODE: MT0127

To be used for first brushing of any type of hard paraffin and for speeding up polyethylene ski sole during its saturation.

To be used for smooth brushing of any type of hard paraffin and during the polyethylene-base cleaning operations.

40











MT0012 - 10 cm To be used for deep brushing of any type of paraffin MT0042 - 14 cm and perfluorinated wax on cross-country and alpine ski as well as snowboard.




**ROTO BRUSH PRODUCTS** 

NYLON CODE:

MT0013 - 10 cm MT0043 - 14 cm MT0015 - 20 cm

To be used for polishing of any type of paraffin and perfluorinated wax on cross-country and alpine ski as well as snowboard.



**ROTO BRUSH** 

**BRASS** 

MT0018 - 20 cm

MT0011 - 10 cm MT0018 - 20 cm To be used for first brushing of soft and med paraffin on cross-country and alpine ski as well as snowboard.



**ROTO** PRODUCTS **BRUSH** 

STEEL CODE: CODE:

MT0017 - 10 cm MT0019 - 20 cm
To be used for first brushing of hard paraffin on cross-country and alpine ski as well as snowboard.



**ROTO BRUSH** 

CODE:

MT0022 - 10 cm MT0024 - 14 cm

To be used for FP4 perfluorinated wax application.



**ROTO BRUSH** 

XC COMBI 1

MT0049 - 14 cm

To be used for deep brushing and polishing of any type of paraffin on cross-country ski.



**ROTO BRUSH** 

**QUICK GRIP** MT0030 CODE:



**ROTO** BRUSH **PRODUCTS** 

**PRODUCTS** 

**NOMIC GRIP** CODE: MT0040



**ROTO BRUSH** 

**QUIK DRIVE SHAFT** 

MT0031 - 10 cm MT0032 - 14 cm MT0033 - 20 cm CODE: CODE:

ROTO **BRUSH** 

**NOMIC DRIVE SHAFT** 

CODE: MT0041 - 10 cm MT0047 - 14 cm MT0048 - 20 cm



**ROTO KIT 10 CM - CORK** CODE: MT0060 (MT0040 + MT0041 + MT0022-12-13)











MANUAL **BRUSH** 

**PRODUCTS** 

**ROTO KIT 10 CM - BRASS**CODE: MT0065 (MT0040 + MT0041 + MT0011-12-13)











**MANUAL BRUSH** 

**ROTO KIT 10 CM - POLYESTER** 

MT0066 (MT0040 + MT0041 + MT0070-12-13)





43











**ROTOBRUSH BOX** BMC0103 38x28x9 cm only for 10 cm brushes

## **WAXING IRONS**





#### **SPEED FABRIC** ROLLERS

**SPREADING ROLLER POLYESTER** 

MT0070 - cm 10 MT0075 - cm 14 MT0080 - cm 20



#### **SPEED FABRIC ROLLERS**

**BRUSHING ROLLER MERINO WOOL 5mm** MT0081 - cm 20



**SPEED FABRIC ROLLERS** 

**POLISHING ROLLER** MERINO WOOL 12mm

MT0072N - cm 10 MT0077N - cm 14 MT0082N - cm 20



**PRODUCTS** 

PRODUCTS

**PRODUCTS** 

#### **SPEED FABRIC ROLLERS**

**POLYESTER & MERINO WOOL ROTO SET CM 10** CODE: MT0085N



**POLYESTER & MERINO WOOL ROTO SET CM 14** 

**SPEED FABRIC ROLLERS** 

CODE: MT0086N

or cold application of every FP4 perfluorinated waxes (powder, spray or solid). Instead of roto-cork and traditional

Polyester and Merino wool rollers

especially recommended for hot

horsehair and nylon brushes, use new rollers of polyester and merino wool as follows:

- 1. Roll the base surface with the roto-polyester in both directions at a speed between 1000 and 1500 rpm according to the pressure applied. Repeat several times until the complete saturation of the base surface. Wait at least 10 minutes for cooling of the base surface and for the ski wax to harden.
- 2. Free the base structure with the 5 mm. roto-wool.
- 3. Polish the base structure with the 12 mm. roto-wool.

For top performances is necessary one set of new rollers for every type of product (cold-med-hot).



**WAXING IRONS** 

**ADJUSTABLE WAXING IRON** T10B.15

CODE: AC 220V MAX TEMP. 200°C First choice waxing iron with easy temperature manual

Easy waxing in all directions due to ergonomic shape. Very competitive quality/price ratio.



WAXING **IRONS** 

**DIGITAL WAXING IRON** T10A.15

> AC 220V MAX TEMP. 200°C

Professional powerfull digital waxing iron. The digital microprocessor controls temperature adjustment till 200°C. Inox iron plate guarantees a constant temperature of working. Easy waxing in all directions due to ergonomic



WAXING **IRONS** 

DIGITAL **WAXING IRON** T10A.35

KZ03000N CODE: AC 220V MAX TEMP. 200°C World Cup high professional waxing iron, with extremely precise digital temperature setting by digital microprocessor. The 35mm thick inox iron base guarantees the fully constant temperature. This iron wax is especially studied for handling all racing perfluorinated waxes which require stable and constant high temperature. Easy waxing in all directions due to ergonomic shape.



WAXING

**ELECTRONIC IRON WAX** 

CODE: KZ06001 AC 110V MAX TEMP. 160°C ONLY US AND JAPAN MARKET



**WAXING** 

**IRON** WAX

CODE: KZ05001 AC 110V MAX TEMP. 160°C ONLY US AND JAPAN MARKET



**SPEED FABRIC** ROLLERS

**POLYESTER & MERINO WOOL ROTO SET CM 20** 



WAXING **IRONS** 

**FACIAL MASK** CODE: KZ08000 CE EN 136 - Class 3



**WAXING IRONS** 

**FILTER FOR FACIAL MASK** 

KZ08001 MSA A2-B2-E2-K1-HG-P3 CE



SKI **FILES** 

> HARD CHROME FINE ML0001 - 150 mm ML0002 - 200 mm

Universal FINE file with hardchromed surfaces: satisfied the technical requirements of professional skimen

SKI

PRODUCT

**FILES** 

HARD CHROME COARSE
CODE: BK00010 - 150 mm
CODE: ML0003 - 200 mm CODE: ML0003 - 200 mm

Universal COARSE file, with hard-chromed surfaces: satisfied the technical requirements of professional skimen

SKI **FILES** 

HARD CHROME SUPER COARSE CODE: ML0004 - 200 mm

Universal SUPERCOARSE file, with hardchromed surfaces: satisfied the technical requirements of professional skimen

SKI **FILES** 

**PRODUCTS** 

**COMBI FILE MEDIUM - COARSE** CODE: ML0530 - 80 mm

Made of premium steel, this is the only ski file with two different cuts: a coarse cut on one side to provide an high and frank bite, and a medium cut on the other side to provide a fine tune on edge sharpening. Now with the same file it is possible to remove the excess of sidewall material, to sharpen damage edges and to refine edge sharpening with high precision. Its dimensions are adapted to most sharpeners of 80mm in length. With this combination, sharpening it is not only faster but also much more easy: every skis or snowboard will have a precise and powerful bite.



SKI **FILES** 

> **FILE BRUSH** MT0100

The perfect brush for cleaning all kind of files



SKI **FILES** 

> **BODY FILE** CODE: ML0005 - 300 mm

Radial file special studied for roughing skis and snowboards



SKI **FILES** 

> **PROFESSIONAL** HARD CHROME **BASTARD**

ML0501 - 200 mm

SKI **FILES** 

SKI

**FILES** 

**PROFESSIONAL** HARD CHROME **2ND CUT** CODE: ML0502 - 200 mm SKI **FILES** 

> **PROFESSIONAL** HARD CHROME **SMOOTH**

ML0503 - 150 mm

Due to their high level precision and performance, these files are considered as the reference by the world's most renowned professional skimen. They are chosen by the most demanding users for their smooth and consistent bite. Thanks to their chromed plates, these files are protected against corrosion.



SKI

**FILES PROFESSIONAL** 

NO-CHROME BASTARD ML0511 - 200 mm

 $\simeq$ 

**PROFESSIONAL NO-CHROME 2ND CUT** CODE: ML0512 - 200 mm

SKI **FILES** 

> **PROFESSIONAL NO-CHROME SMOOTH** CODE:

Due to their high level precision and performance, these files are considered as the reference by the world's most renowned professional skimen. They are chosen by the most demanding users for their smooth and consistent



SKI

PRO RS NO-CHROME **COARSE** ML0525 - 100 mm

SKI **FILES** 

PRO RS NO-CHROME **MEDIUM** ML0526 - 100 mm CODE:

SKI **FILES** 

PRO RS NO-CHROME FINE CODE:

These files benefit from ideal dimensions and fit to a very precise sharpening. Produced with a premium steel in order to assure a consistent quality to the product. These files are optimized for an exceptional biting and do not clog.

## **DIAFACE - DIAMOND - STONES**





**DIAFACE** 

DIAFACE 100 gr MP0210 - 70 mm CODE:

DIAFACE 400 gr MP0212 - 70 mm MP0202 - 100 mm

MP0200 - 100 mm

DIAFACE 1000 gr MP0214 - 70 mm MP0204 - 100 mm DIAFACE 200 gr

MP0211 - 70 mm CODE: MP0201 - 100 mm

DIAFACE 600 gr

MP0213 - 70 mm MP0203 - 100 mm

**WORLD CUP DIAMOND 200 gr** 

MP0311 - 70 mm

MP0301 - 100 mm

MP0303 - 100 mm



**DIAMOND** 


WORLD CUP DIAMOND 100 ar CODE:

MP0310 - 70 mm MP0300 - 100 mm

WORLD CUP DIAMOND 400 gr **WORLD CUP DIAMOND 600 gr** MP0313 - 70 mm

MP0312 - 70 mm MP0302 - 100 mm

WORLD CUP DIAMOND 1000 ar MP0314 - 70 mm



**STONES** 

CODE:

**NATURAL STONE** MP0002 - FINE

CODE: MP0003 - MEDIUM



**STONES** 

DIAFACE

**MINI SQUARE 88°** 

MINI SQUARE 87°

CODE: MP0150

CODE: MP0151

for diaface 70 mm

for diaface 70 mm

**GUMMY STONE ALLAROUND** 



**STONES** 

**GUMMY STONE FINE** 



**STONES** 

**PRODUCTS** 

**ARKANSAS** MP0004 - EXTRA FINE CODE:



**STONES** 

**ALU OXIDE STONE** CODE: BK00006 MEDIUM

### **WAXING TOOLS**





**WAXING** T00LS **PRODUCTS** 

**CORK/NYLON BRUSH** CODE: MT0111 75 x 55 x 34 mm



**WAXING** T00LS **PRODUCTS** 

SYNTHETIC CORK CODE: MT0113 70 x 50 x 35 mm



**WAXING** T00LS

THERMO-HYGROMETER CODE: MT0923

temp. -20°/+50° hr 10% / 95%



### **WAXING**

T00LS

INFRARED THERMOMETER GUN

CODE: MT0916

temp. -33°/+500°



WAXING T00LS

CORK/FELT PAD CODE:



WAXING T00LS

**FELT PAD** 

MT0118 CODE: 135 x 42 x 39 mm



WAXING T00LS

**VELCRO® PAD** 

MT0119 CODE: 135 x 42 x 39 mm



**WAXING** T00LS

**PRODUCTS** 

PRODUCTS

**DIGITAL THERMO HYGROMETER** CODE:

MT0920 temp. -40°/+70° hr. 1% / 99%



#### **WAXING** T00LS

**SKIMAN BOX** 

CODE: BMC0100 470 x 360 x 175 mm



**WAXING** T00LS

CORK CODE:

**PRODUCTS** 

MT0110 70 x 50 x 35 mm



#### WAXING T00LS

**NORDIC SCRAPER** 

**GROOVE SCRAPER** CODE: MT0512





#### WAXING T00LS

STEEL SCRAPER



#### WAXING T00LS

**POWDER NET** DISPENSER CODE: MT0905



**WAXING THERMO BAG** 

CODE: MT0800 - AC 220V 2200 x 450 x 450 mm ADJUSTABLE TEMP: 30°C - 70°C



#### WAXING T00LS

**PLEXY SCRAPER** CODE: MT0511

130 x 60 x 4 mm **SNOWBOARD SCRAPER** CODE: MT0515

260 x 70 x 5 mm



# **PRODUCTS**

CODE: MT0513 - 1 mm



### 10 alpine ski or 20 XC ski - 55°C x 6/8 hours - for ski base saturation



#### WAXING T00LS

PTFE TAPE CODE: MT0901

10 mt x 130 mm **PTFE SHEET** CODE: MT0902 - 10 pcs

200 x 130 mm



#### **WAXING** T00LS

FIBERLENE TAPE CODE: MT0900

10 mt x 130 mm



# **PRODUCTS**

T00LS

WAXING

THERMO WAXING COVER ALPINE - MT0801N - AC 220V ALPINE - MT0801NUS - AC 110V

55°C - 60°C - 2300 x 140 mm 55°C x 1,5 h for quick ski base saturation



#### THERMO WAXING COVER

FREERIDE - MT0805N - AC 220V FREERIDE - MT0805NUS - AC 110V

55°C - 60°C - 2000 x 170 mm 55°C x 1,5 h for quick ski base saturation

### THERMO WAXING COVER

SNOWBOARD - MT0806N - AC 220V SNOWBOARD - MT0806NUS - AC 110V

55°C - 60°C - 1800 x 330 mm 55°C x 1,5 h for quick ski base saturation



#### WAXING T00LS

THERMO WAXING COVER JUMPING - MT0801JP - AC 220V

55°C - 60°C - 3000 x 185 mm 55°C x 2 h for quick ski base saturation



**WAXING** T00LS

STANDARD THERMOMETER CODE: MT0915

temp. -20°/+50°



**WAXING** T00LS

**DIGITAL PROBE THERMOMETER** CODE: MT0921

temp. -40°/+200°



**WAXING** T00LS

**CLAMP FOR THERMO COVER** CODE: MT0802

# **MAINTENANCE SOLES**





**PRODUCTS** 

**SKILAB ACCESSORIES** 

**PROTECTIVE MASK** 

CODE: KZ08005



**SKILAB** 

**ACCESSORIES** 

**TRUE BAR** 

CODE: MT0514 - 3 mm STEEL SCRAPER





**SKILAB** 

**ACCESSORIES** 

**PLASTIC BUSHING THREADED** CODE: LK21201 - 100 pcs



STEEL SKI DRIL CODE: MM420L -MM420L - 3,5 x 7 mm MM420L - 3,5 x 9 mm MM420L - 3,8 x 10 mm CODE: CODE: MM420L - 3,8 x 15 mm MM420L - 4,1 x 9 mm



**SKILAB ACCESSORIES** 

HARD STEEL SKI DRILL

MM420C0 - 4,1 x 9 mm



#### **SKILAB**

**ACCESSORIES** 

**SCREW DRIVER BIT** 

MMF4302

pzd2 x 110 mm - A4 standard MMF4303

pzd3 x 110 mm - A4 standard



**SKILAB** 

**ACCESSORIES** 

**LUBRICANT FOR SKI BINDINGS** 

CODE: MM490 - 150 ml



**SKILAB** 

**ACCESSORIES** 

**ELASTICS FOR** BINDING

CODE: SM058100 - 1 kg



**SKILAB ACCESSORIES** 

SAND PAPER 70 x 200 mm CODE: BK00008 gr 600 - 5 pcs



BK00950 gr 180 - 5 pcs BK00951 gr 120 - 5 pcs



**SKILAB ACCESSORIES** 

STEEL STRUCTURE BRUSH

CODE: BK00130



WAXING T00LS

> **MAPLUSTEX KIT** CODE:

BK00009 135 x 110 x 7 mm

three different abrasive mats for smoothening ski base



**MAINTENANCE** 

**SOLES** 

**SKI BASE** CODE:

LK00001 - trasparent - 4pcs LK00002 - graphite - 4pcs 250 x 80 x 1,3 mm



**MAINTENANCE** 

**SOLES** 

CODE:

FREE CANDLE Ø 8 mm

LK20001 - transparent LK20002 - graphite LK20003 - black



**MAINTENANCE** 

SOLES

**GUN CANDLE ø 11.5 mm** LK20301 - transparent

LK20302 - graphite LK20303 - black



**MAINTENANCE** 

**WELDING STRIP** 

LK20401 - transparent LK20402 - graphite LK20403 - black



**MAINTENANCE SOLES** 

**WIRE FOR SMEARING** MACHINE ø 3mm - 0.5 ka

LK20601 - transparent LK20602 - graphite LK20607 - black



**MAINTENANCE** 

**SOLES** 

**WIRE FOR SMEARING** MACHINE ø 3mm - 1.5 kg

LK20661 - transparent LK20662 - graphite LK20667 - black



**MAINTENANCE SOLES** 

PRODUCTS

51

METAL GRIP ø 3,5mm - 10 mt LK20902 - transparent

LK20904 - graphite



**MAINTENANCE** SOLES

POLYMERIC ADHESIVE **FOR SKI BASE REPAIRING** 

LK00010 - amber - 25 ml LK00015 - black - 25 ml



**MAINTENANCE** SOLES

**MIXING TIPS** 

CODE: LK00016 - 12 pcs



**MAINTENANCE** SOLES

> UNIVERSAL CYANACRYLATE ADHESIVE LK00020 - transparent - 30 gr



**MAINTENANCE SOLES** 

> PRIMER FOR **POLYETHYLENE**

CODE: LK00021 - spray - 15 ml

# **SKI MAN FOLDING TABLE**



**SKI MAN FOLDING TABLE** 

**SKI MAN** 

FOLDING TABLE

**XC SKIMAN TABLE PRO** MT0612 - 11,5 Kg

Aluminium light weight

L213 x W47 x H92 cm

## **UNIVERSAL SKIMAN TABLE** CODE: MT0610 - 16,5 Kg

Bag included L102 x W50 x H85 cm






CODE:



**SKI MAN ACCESSORIES** 

XC PROFILE PRO CODE: MT0613

Aluminium light weight for table 611-612



**SKI MAN** 

**ACCESSORIES** 

SKI RACK CODE: MT0614

GENERAL CATALOG 2020/21



**SKI MAN ACCESSORIES** 

**PRODUCTS** 

**CENTRAL CLIP** 

CODE: MT0617 for profile 613



**SKI MAN ACCESSORIES** 

IRON HOLDER CODE: MT0620



**SKI MAN** 

FOLDING TABLE

MT0611 - 8 Kg

Aluminium light weight L113 x W47 x H96 cm



**SKI MAN ACCESSORIES** 

RUBBISH BAG HOLDER CODE: MT0621



**SKI MAN** 

**ACCESSORIES** 

**XC PROFILE SET PRO** 

MT0623 Aluminium light weight

**SKI MAN** FOLDING TABLE

TRAVEL BENCH CODE: MT0640

L115 x W9,5 x H120 cm.



**SKI MAN ACCESSORIES** 

UNIVERSAL DOUBLE BENCH

L110 x W40 x H84 cm

CODE: MT0630 - 19 Kg

TABLE BAG

CODE: MT0608 for table 610 MT0628 for table 611-612



**SKI MAN ACCESSORIES** 

**XC PROFILE SET** CODE:

MT0635 L150 x W4 x H18 cm. 3,7 kg. (ski from 140 to 210 cm.)

With handle and folding legs

PRODUCTS

#### SKI AND SNOWBOARD

#### VISE

#### **SKI VISE QUICK**

CODE: SM00690

- High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during base work
- Included 2 brake retainers

#### SKI AND SNOWBOARD

#### VISE

#### SKI VISE 24 HOURS CODE: SM00650

- High-tensile aluminium bodyLight and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during side and base work
- Included 2 brake retainers







#### **SKI AND SNOWBOARD**

#### VISE

#### **SKI SUPPORT**

CODE: SM00695

- · High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during base work
- Included 2 brake retainers

#### SKI AND SNOWBOARD

#### VISE

#### **BRAVO SUPPORT**

CODE: SM00635 for SM00691-1070N-1110N-1110NW

 Universal adapter with special rubber to grip cross-country ski, snowboard & wide ski during the base tuning

#### SKI AND SNOWBOARD

#### VISE

#### SKI VISE COMP

CODE: SM00691 max opening 85 mm

- Jaw width 30 mm
- Jaw opening: up to 90 mm
- High-tensile aluminium body
- · Light and easy to transport
- For tuning all types & shapes of skis
- Included 2 brake retainers









#### SKI AND SNOWBOARD

#### VISE

**PRODUCTS** 

#### **SKI VISE RACING**

CODE: SM01070N max opening 100 mm

- Jaw width: 70 mm
- Jaw opening: up to 100 mm
- Rubber lined vice jaws
- Special rubber with small suction cups on the top grip of the supports
- · Adjustable guide blocks
- For skis with all kinds of riser plates
- High tensile aluminum body
- · Also use horizontally for mounting bindings
- Included 2 brake retainers
- . Designed to clamp also in the plate or binding



# PRODUCTS SKI COD

#### **SKI VISE PRO**

CODE: SM01110N max opening 100 mm

- Jaw width 90 mm
- Jaw opening: up to 100 mm
- High-tensile aluminium body
- For tuning all types & shapes of skis
- Included 2 brake retainers
- Designed to clamp also in the plate or binding





GENERAL CATALOG 2020/21

#### SKI AND SNOWBOARD

#### VIS

PRODUCTS

#### SKI VISE PRO "WIDE OPENING"

CODE: SM01110NW max opening 155 mm

- Jaw width 90 mm
- Jaw opening: up to 155 mm
- High-tensile aluminium body
- For tuning all types & shapes of skis
- Included 2 brake retainers
- . Designed to clamp also in the plate or binding





#### SKI AND SNOWBOARD

PRODUCTS N

### SKI VISE CROSS COUNTRY WORLD CUP

CODE: SM00670N

- High-tensile aluminium body
- · Light and practical for travelling
- For tuning all types & shapes of nordic skis



#### SKI VISE XXL CODE: SM00994

• High-tensile aluminium body

SKI AND SNOWBOARD

- Jaw width 70 mm
- Jaws opening up to 155 mm



#### SKI AND SNOWBOARD

**PRODUCTS** 

#### **SNOWBOARD - FREERIDE SKI VISE**

CODE: SM01003N

- High-impact plastic body
- For tuning all types of snowboards and wide skis
- Special rubber to grip the snowboards and wide skis during side and base tuning
- Two side edge positions: standard 90° and easy 60°
- Binding clearance: 160 mm





### **SKI AND SNOWBOARD**

PRODUCTS

#### **DOUBLE WORKSHOP VISE**

CODE: SM01021N


• Professional workshop vise for working on the base, on the bindings and plates, and on the side edge of all kind of skis and snowboard

### SKI AND SNOWBOARD

#### **DOUBLE WORKSHOP SUPPORT**

CODE: SM01022N

• Professional workshop supports for working on the side edge of all kind of skis and snowboard



### **EDGE SHARPENERS**



**PRODUCTS** 

#### SHARPENERS

**RACING SHARP** CODE: SM05006

Side edge: 89°-88°-87°-86° / Base edge:0,5°-1°

- Ergonomic side edge sharpener
- · Easy handling, steady grip, maximum accuracy
- · Best results, minimum effort
- · Right and left hand use
- For ski and snowboard
- Spare file 80 mm SM05104

**SHARPENERS** 

#### **RACING SHARP KIT**

CODE: SM05007

- Ergonomic side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- · Right and left hand use
- For ski and snowboard

#### **EDGE**

PRODUCTS

**SHARPENERS** 

#### QUICK SHARP 88°-89°

CODE: SM03007

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- · Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05105

### **EDGE**

**SHARPENERS PRODUCTS** 

#### **QUICK SHARP KIT 88°-89°**

CODE: SM03009

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- · Easy handling, steady grip, maximum accuracy
- · Best results, minimum effort
- · Right and left hand use
- · For ski and snowboard
- Spare file 40 mm SM05105

#### **EDGE**

**SHARPENERS PRODUCTS** 

#### **DIAMOND SHARP 88°-89°**

CODE: SM04006N

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- · Best results, minimum effort
- · Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05190










GENERAL CATALOG 2020/21











57

PRODUCTS

**EDGE** SHARPENERS

**SPARE DIAMOND DISC** CODE: SM05190



**EDGE** SHARPENERS

> **SPARE ZIRCONIUM** CODE: SM05140

**EDGE SHARPENERS** PRODUCTS

**SPARE DIAMOND** SM05160



**EDGE SHARPENERS** 

**SPARE FILE BASTARD** SM05104 - 80 mm SM05105 - 40 mm

**EDGE** SHARPENERS

CODE: SM05001

from 90° to 85°

PRODUCTS

PRODUCTS

**PRO SHARP** 

· Professional side edge sharpener

· Easy handling, steady grip, maximum accuracy

• Best results, minimum effort

• Fits any files, stones or diamonds up to 6 mm thick

• Ball bearing system to protect the base

· Right and left hand use

· For ski and snowboard

• Spare file 80 mm included



**EDGE** SHARPENERS

**ERGO SHARP** CODE: SM05002 from 90° to 85°

· Ergonomic side edge sharpener

• Easy handling, steady grip, maximum accuracy

• Best results, minimum effort

• Fits any files, stones or diamonds up to 6 mm thick

· Right and left hand use

• For ski and snowboard

• Spare file 80 mm included



**EDGE SHARPENERS** 

**PLEXI SHARP** CODE: SM00630N • Wax scraper sharpener

• Used for 3, 4, 5 mm plexi wax scraper thick

• 100 mm body file included

• Spare 100 mm body file included



**EDGE SHARPENERS** 

**SPARE BODY FILE** CODE: SM05101





**EDGE SHARPENERS** 

**PRODUCTS** 

SIDEWALL SHARP

CODE: SM03004

• Ergonomic sidewall planer

• Easy handling, steady grip, maximum accuracy

· Best results, minimum effort

· Adjustable blade position and cutting depth

· Right and left hand use

• For ski and snowboard



**EDGE** 

**SHARPENERS** 

SIDEWALL SHARP **WORLD CUP** 

CODE: SM05005N

• Professional sidewall planer

• Easy handling, steady grip, maximum accuracy

• Best results, minimum effort

· Adjustable blade position and cutting depth

· Right and left hand use

· For ski and snowboard

**SPARE BLADE STANDARD** CODE: SM05120



**SPARE BLADE RADIUS 3 mm** 

59

SM05125



CODE: SM05130

**SPARE BLADE ROUND** 

**EDGE SHARPENERS** 

**ADJUSTABLE BASE EDGE FILE GUIDE** 

CODE: SM03071 from 0,5° to 1,5°

Base edge sharpener

• Easy handling, steady grip, maximum accuracy

• Best results, minimum effort

• Fits any files, stones or diamonds up to 6 mm thick

• For ski and snowboard



**EDGE PRODUCTS** 

**SHARPENERS** 

**BASE EDGE FILE GUIDE** 

SM03051N - 0,5° SM03052N - 0,75° SM03053N - 1°

• Professional base edge sharpener

• Easy handling, steady grip, maximum accuracy

• Best results, minimum effort

• Fits any files, stones or diamonds up to 6 mm thick

• For ski and snowboard



PRODUCTS

### **EDGE SHARPENERS**





SHARPENERS

PRODUCTS

#### **RACING GUIDE**

SM03030 - 90° SM03031 - 89° SM03032 - 88°

SM03033 - 87° SM03034 - 86°

- Side edge file guide with ergonomic clamp included
- Designed to eject metal filings
- Fits any files, stones or diamonds
- For ski and snowboard








**RACING GUIDE PLUS** 

SM03040 - 90° SM03041 - 89° SM03042 - 88° SM03043 - 87° SM03044 - 86°

- Side edge file guide with clamp included
- Designed to eject metal filings
- Ball bearing system to protect the base
- · Fits any files, stones or diamonds
- For ski and snowboard







Electric side edge sharpener for fast and professional sharpening of side edges of ski and snowboard.

Thanks to its innovative design, side edges can be prepared with considerably less effort than with

conventional manual devices, even if side edges are

**EDGE** SHARPENERS

INOX SQUARE CODE: SQ0090

PRODUCTS

SQ0090 - 90° SQ0089 - 89° SQ0088 - 88° SQ0087 - 87° SQ0086 - 86°

SQ0085 - 85°



**ALUMINIUM SQUARE** 

SQ0090V - 90° SQ0089V - 89°





**EDGE SHARPENERS** 

PRODUCTS

**EDGE** 

**PRODUCTS** 

**SHARPENERS** 

DIAMOND DISC COARSE

CODE: SM09002 Angle set-up and deburring.



**EDGE SHARPENERS** 

PRODUCTS

DIAMOND **DISC MEDIUM** CODE: SM09003

General maintenance

**EDGE** SHARPENERS

PRODUCTS

DIAMOND **DISC FINE** CODE: SM09004 World Cup precise polishing.

**EDGE** SHARPENERS **PRODUCTS** 

DIAMOND **DISC EXTRA FINE** CODE: SM09005 Super fine polishing.



**EDGE** SHARPENERS

SHARPENERS

SKI FILE CLAMP
CODE: MT0803 **SKI FILE CLAMP** 






### **NORDIC** STRUCTURE

#### **NORDIC SHARP**


CODE: SM08001 Art. SM08006 included

- Ergonomic structuring tool with interchangeable structure rollers
- · Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- · According to the snow conditions, it will increase the glide of the skis
- · Delivered with a medium diagonal roller









#### **NORDIC STRUCTURE**


**LINEAR COARSE** 

CODE: SM08002 for warm and wet conditions LINEAR **MEDIUM** 

CODE: SM08003 for universal conditions LINEAR FINE

SM08004 CODE: for cold conditions





#### **NORDIC STRUCTURE**

**DIAGONAL COARSE** 

CODE: SM08005

**DIAGONAL MEDIUM** CODE: SM08006

for universal conditions

**DIAGONAL** FINE

SM08007 CODE: for cold conditions





#### **NORDIC STRUCTURE**

W **COARSE** 

CODE: SM08008 for warm and wet conditions

MEDIUM CODE: SM08009 for universal conditions

FINE SM08010 CODE: for cold conditions





### **HOTBOX 140**

CODE: SV00001 DIMENSIONS: 205X198X100 mm WEIGHT: 3 kg VOLTAGE: 220V/50HZ AVAILABLE AT: 110V ABSORPTION: 0.7 Kw OPERATING TEMP.: 110° - 140° C ROLLER WIDTH: 120 mm

### **HOTBOX 160**

CODE: SV00010 DIMENSIONS: 225X198X100 mm WEIGHT: 4 kg VOLTAGE: 220V/50HZ AVAILABLE AT: 110V ABSORPTION: 0.7 Kw OPERATING TEMP.: 110° - 140° C ROLLER WIDTH: 150 mm

#### **HOTBOX 350** CODE: SV00008

GENERAL CATALOG 2020/21

DIMENSIONS: 420X198X100 mm WEIGHT: 6 kg VOLTAGE: 220V/50HZ AVAILABLE AT: 110V ABSORPTION: 1 Kw OPERATING TEMP.: 110° - 140° C ROLLER WIDTH: 330 mm



#### **HOTBOX ACCESSORIES**

CODE: SV00002

**PRODUCTS** 

**140 TANK** WITH STANDARD ROLLER

**140 TANK** WITH CROSS COOUNTRY ROLLER

CODE: SV00003 Thin + Thick Layer

**160 TANK** WITH STANDARD ROLLER CODE: SV00011

**350 TANK** WITH SILICON ROLLER CODE: SV00009



#### **HOTBOX WAXING MACHINE**

#### **GRIP WAX DIGITAL HOTBOX** CODE: SV00013

DIMENSIONS: 205X198X100 mm WEIGHT: 4 kg VOLTAGE: 220V/50HZ AVAILABLE AT: 110V ABSORPTION: 0.7 Kw OPERATING TEMP.: 50° - 200° C ROLLER WIDTH: 100 mm



#### **HOTBOX ACCESSORIES**

**GRIP WAX TANK** WITH ROLLERS CODE: SV00014



**HOTBOX ACCESSORIES** 

**140 TANK** WITH SKI WAX SCRAPERS CODE: SV00004



#### **MOTOBRUSH ACCESSORIES**

PLEXY SCRAPER SV00030N



#### **HOTBOX ACCESSORIES**

**HERMETIC BOX** WITH FOAM PROTECTION

CODE: SV00007 - L55xW42xH30 cm SV00008 - L68xW52xH37 cm



**HOTBOX ACCESSORIES** 

**140 TANK COVER** CODE: SV00006

**160 TANK COVER** CODE: SV00012

### **ROTO WAXING & BRUSHING MACHINE**

## **BAG & ACCESSORIES**





**ROTO WAXING** & BRUSHING MACHINE

**MOTO BRUSH 2** WITHOUT ROLLERS

CODE: SV00020N 1 HEATING PLATE

Professional waxing and brushing machine with one heating plate and replaceable rollers.

DIMENSIONS: 590X160X215 MM





MERINO WOOL LEATHER

CODE: SV00021 - 14 cm



**ROTO WAXING** 

**ACCESSORIES** 

**ROTO WAXING** 

**WOOL LEATHER** 

**ROLLER FOR MERINO** 

CODE: SV00029 - 14 cm

**ACCESSORIES** 

**SCOTCH BRITE ROLLER** 

CODE: SV00027 - 16 cm



**ROTO WAXING ACCESSORIES** 

**BRASS BRUSH** 13 mm

CODE: SV00022 - 16 cm



#### **ROTO WAXING ACCESSORIES**

HORSEHAIR BRUSH 10 mm CODE: SV00023 - 16 cm



**ROTO WAXING ACCESSORIES** 

NYLON BRUSH 10 mm

CODE: SV00024 - 16 cm



#### **ROTO WAXING ACCESSORIES**

**PRODUCTS** 

NYLON/HORSEHAIR BRUSH 10 mm

CODE: SV00026 - 16 cm







BAG & **ACCESSORIES** 

**RACING BACK PACK** 

CODE: MB0300



PRODUCT

**ALPINE BACK PACK** 

CODE: MB0310





BAG & **ACCESSORIES** 

**TEAM WHEEL BAG** 

CODE: MB0205 - 70lt



MAPLUS

MAPLUS



SKITUBE
CODE: MB0400
3 xc ski - 1 alpine ski



SKIBAG

CODE: MB0405 3 xc ski - 1 alpine ski

BAG & **ACCESSORIES** 

WHEEL SKIBAG PRO

CODE: MB0410 6 xc ski - 3 alpine ski



64





ACCESSORIES MERCHANDISING

SYNTHETIC DOWN JACKET
CODE: MA0322
S - M - L - XL - XXL



ACCESSORIES
MERCHANDISING

#### **BUTTON NECK SHIRT**

E: MA0009 - Short sleves MA0019 - Long sleves S - M - L - XL - XXL



ACCESSORIES MERCHANDISING

XC COVER JACKET - UNISEX
CODE: MA079005U
XS - S - M - L - XL - XXL



ACCESSORIES
MERCHANDISING

XC COVER GILET – UNISEX
CODE: MA079006U
XS - S - M - L - XL - XXL



ACCESSORIES MERCHANDISING

SKIMAN APRON COTTON CODE: MA0003J



#### ACCESSORIES MERCHANDISING

XC RACE JACKET - LADY
CODE: MA079001W
XS - S - M - L - XL

XC RACE JACKET - MAN CODE: MA079002M S - M - L - XL - XXL



ACCESSORIES MERCHANDISING

XC COVER PANTS – UNISEX
CODE: MA079007U
XS - S - M - L - XL - XXL

MAPLUS

MAPLUS

ACCESSORIES MERCHANDISING

STICKER CODE: MA

MA1001M - 310 x 50 mm MA1002M - 830 x 140 mm



### ACCESSORIES MERCHANDISING

PATCH CODE:

MA1033B - Black MA1033W - White



ACCESSORIES
MERCHANDISING

CAP CODE: MC0050M



#### ACCESSORIES MERCHANDISING

XC RACE PANTS - LADY CODE: MA079003W XS - S - M - L - XL

XC RACE PANTS - MAN CODE: MA079004M S - M - L - XL - XXL



MA1014M

**ACCESSORIES** 

MERCHANDISING

**TAPE** 

CODE:

**ADHESIVE PAPER** 

#### ADHESIVE TAPE

CODE: MA1004M

NO-ADHESIVE PAPER SKI TAPE CODE: MA1044M







#### ACCESSORIES MERCHANDISING

SE MERC HAT CODE

CODE: MC0005M



NOW WOVEN BANNER CODE: MA1005M 0,80 x 4 mt



## **BAG & ACCESSORIES**



**ACCESSORIES** MERCHANDISING

THERMO BELT CODE: MA0007



**ACCESSORIES** MERCHANDISING

DRINK FIT BELT CODE: MB0100



**ACCESSORIES** MERCHANDISING

MERCHANDISING

SKI HARNESS
CODE: MB0105



**ACCESSORIES** MERCHANDISING

XC SKI STRAP CODE: MA0025M **ALPINE SKI STRAP** CODE: MA0004M



**ACCESSORIES** MERCHANDISING

MERCHANDISING

XC RACING CLIP
CODE: MA0005M



#### **ACCESSORIES** MERCHANDISING

MA1150 DISPLAY h 195 cm

Standard co	ontents:	
MA1303	Shelf	1 pc
MA1305	Hook bar	4 pcs
MA1306	Hook cm 15	15 pc
MA1307	Hook cm 10	5 pcs
MA1300	Display base	1 pc
MA1301	Display back panel	3 pc
MA1302	Maplus Top Sign	1 pc

MA1160 DISPLAY h 135 cm

Standard contents:			
MA1303	Shelf	1 pc	
MA1305	Hook bar	3 pcs	
MA1306	Hook cm 15	10 pcs	
MA1307	Hook cm 10	5 pcs	
MA1300	Display base	1 pc	
MA1301	Display back panel	2 pc	
MA1302	Maplus Top Sign	1 pc	

#### MA1170 DISPLAY h 75 cm

Standard c	ontents:	
MA1305	Hook bar	2 pcs
MA1306	Hook cm 15	10 pcs
MA1300	Display base	1 pc
MA1301	Display back panel	1 pc
MA1302	Maplus Top Sign	1 pc

#### **DISPLAY ACCESSORIES:**

MA1300	DISPLAY BASE
MA1301	DISPLAY BACK PANEL
MA1302	MAPLUS TOP SIGN
MA1303	SHELF
MA1304	LOCKED GLASSED SHOWCASE

MA1305 HOOK BAR MA1306 HOOK CM 15 MA1307 HOOK CM 10

**ACCESSORIES** MERCHANDISING

SKI HOLDING STRIPE CODE: MA0015M for XC & Alpine ski





# STRESS IT SPRAY RESTORE IT

Wet...mud.. rain.... if you are a sport and outdoor life addicted, you often meet them on your way.

MAPLUS SUPER CARE LINE ensure that the high techs of your textiles and equipment go on longer and longer with you.

And with the **NEW ECO SUPER CARE LINE** totally environmentally oriented - while you care of your stuff, you focus on the biggest heritage we love and we must take care of.





**SUPER CARE** LINE

CLOTHING **SUPER CARE** CODE: MI0001

**TEXTILE SUPER CARE** CODE: MI0005 6 x 250 ml - Display Box 6 x 250 ml - Display Box SHOES & GLOVES SUPER CARE MI0010 CODE:

6 x 250 ml - Display Box

**GOLF SHOES & GLOVES SUPER CARE** CODE: MI0015 6 x 250 ml - Display Box

UNIVERSAL SANITIZING MI0050 - 250 ml Spray MI0051 - 5 lt - Liquid



**ECO SUPER CARE** LINE

**ECO CLOTHING** SUPER CARE CODE: MI0101 500 ml

**PRODUCTS** 

**ECO TEXTILE SUPER CARE** MI0105 CODE: 500 ml

**ECO SHOES & GLOVES SUPER CARE** MI0110 CODE:

500 ml

70

### **SUPER CARE LINE**

Maflon s.p.a. is the italian leading company into processing high quality fluorchemical products matching the environmental sustainability.

The R&D department produces constantly new formulations of fluorinated polymers to realize appropriate and durable coating solutions for any kind of surface so to create a highly effective protective barrier against different agents as oils, water, food and

In order to get these results we respect the most advanced rules in term of sustainable development taking the best care of human

Recently we have developed a line of eco-compatible active substances, soluble in water-base, so to obtain more and more environment friendly products maintaining excellent characteristics of hydro and oil repellency.

#### **CLOTHING SUPER CARE**

CODE: MI0001 6 x 250 ml - Display Box

#### **TEXTILE SUPER CARE**

CODE: MI0005 6 x 250 ml - Display Box

#### **SHOES & GLOVES SUPER CARE**

CODE: MI0010 6 x 250 ml - Display Box

#### **GOLF SHOES & GLOVES SUPER CARE**

CODE: MI0015 6 x 250 ml - Display Box

UNIVERSAL SANITIZING

MI0050 - 250 ml Spray MI0051 - 5 lt - Liquid

- Super waterproofing spray polymer for high technology functional clothing.

   Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic clothing included elastic functional textiles. Extremely versatile.
  - It guarantees the best impregnation maintaining the original breathability.
  - It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
  - Easy and quick to use

Super waterproofing spray polymer for high technology fabric of tents, backpacks, bags, gloves, and umbrellas.

- Special for all natural and synthetic functional textiles and membrane textiles (e.g. GORE-TEX®). Extremely
- It guarantees the best impregnation maintaining the original breathability.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- Easy and quick to use

Super waterproofing spray polymer for high technology outdoor and mountains shoes and gloves in leather or

- Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic functional textiles and leather. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.
- Easy and quick to use

Super waterproofing spray polymer for high technology golf shoes and gloves in leather or mixed fabrics.

- Special for all leather and natural and synthetic functional textiles. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.
- Easy and quick to use

Super effective and long-lasting sanitizing for helmets, boots, gloves and shoes.

• Extremely versatile for professional and leisure applications.

- It totally neutralizes unpleasant odors leaving a fresh neutral fragrance.
- Environment friendly it works with total absence of corrosive or irritating action.
- The regular use ensures long-lasting freshness
- Easy and quick to use

### **SUPER CARE LINE ECO**





Recently we have developed a line of eco-compatible active substances, soluble in water-base. so to obtain more and more environment friendly products maintaining excellent characteristics of hydro and oil repellency.

Maflon s.p.a. is fully involved in the LCPFCs (Long-chain perfluorinated chemicals) elimination process therefore all our products do not contain PFOA and related compounds.

From this very high level experience the Maplus Care Line was born guaranteeing the best results in term of maintaining the oil and hydro repellency and the anti-stain properties of the functional clothing, technical textiles and all kind of outdoor and mountain shoe's conserving the correct and effective breathability.

#### **ECO CLOTHING SUPER CARE** CODE: MI0001

500 ml

**ECO TEXTILE SUPER CARE** 

CODE:

- Waterproofing spray polymer for high technology functional clothing

   Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic clothing included elastic functional textiles. Extremely versatile
  - It guarantees the best impregnation maintaining the original breathability.
  - Special formula soluble in water-base. Environment friendly.
  - It creates an effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
  - Environment friendly trigger spray without propellant gas

## **SUPER CARE**

CODE:



### NOTE

# MAPLUS®

MAFLON S.P.A - MAPLUS DIVISION
MAFLON S.p.A. - Viale Bianca Maria, 41 - 20122 Milano (Mi)
PH. +39 035 4494383 - FAX +39 035 4425443
www.maplus.it - e-mail: info@maplus.it

#### **OFFICIAL SUPPLIER**

















**MAPLUS**<sup>®</sup> is a registered trade mark of Maflon S.p.A.

Maflon S.p.A. reserves the right to modify or discountinue any product in every moment at its own discretion or as a result of supervening regulations incompatible with those reported. Every product may not be available in all countries.